



JN0-361^{Q&As}

Service Provider Routing and Switching, Specialist Exam

Pass Juniper JN0-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-361.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



In the exhibit, all routers are sending routes to Router B. Which routes will be advertised from Router B to Router E?

- A. BGP routes learned from Router A only
- B. BGP routes learned from Router D only
- C. BGP routes learned from Routers A and C only
- D. BGP routes learned from Routers A, C, and D only

Correct Answer: D

QUESTION 2

Which fields are added to an Ethernet frame when using Q-in-Q?

- A. S-VLAN and C-VLAN
- B. S-VLAN and D-VLAN
- C. P-VLAN and D-VLAN
- D. P-VLAN and C-VLAN

Correct Answer: A

IEEE 802.1ad is an Ethernet networking standard informally known as QinQ and is an amendment to IEEE standard IEEE 802.1Q-1998.



The conventions for 802.1ad terminology typically are as follows:

The inner tag is the tag which is closest to the payload portion of the frame; it is officially called C-TAG

(Customer tag, with ethertype 0x8100).

The outer tag is the one closer/closest to the Ethernet header; its name is S-TAG (Service tag, ethertype 0x88a8).

References: https://en.wikipedia.org/wiki/IEEE_802.1ad

QUESTION 3

In a Junos device functioning as an MPLS transit router, which routing table is used when performing a forwarding lookup for an incoming packet?

- A. mpls.3
- B. inet.0
- C. inet.3
- D. mpls.0

Correct Answer: C

QUESTION 4

Which Junos operational mode command is used to verify that load balancing is working as expected?

- A. show route all
- B. show route extensive
- C. show route balancing
- D. show route forwarding-table

Correct Answer: D

QUESTION 5

Router A receives two similar route advertisements from different BGP peers. What would cause a route to be selected in this scenario?

- A. having a lower MED value
- B. having a lower local preference
- C. learning a route from a peer with a higher peer ID



D. learning a route from a peer with a higher IGP metric

Correct Answer: A

[JN0-361 PDF Dumps](#)

[JN0-361 VCE Dumps](#)

[JN0-361 Braindumps](#)