



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
[edit protocols bgp]
user@router# show
group ibgp {
    type internal;
    local-preference 125;
    neighbor 10.1.1.1;
    neighbor 10.2.2.2;
    neighbor 10.3.3.3;
}
...
[edit policy-options]
user@router# show
policy-statement bgp-preference {
    term 1 {
        from neighbor 10.1.1.1;
        then {
            local-preference 130;
            accept;
        }
    }
    term 2 {
        from neighbor 10.2.2.2;
        then {
            local-preference 90;
            accept;
        }
    }
}
```

Referring to the exhibit, which statement is correct?


- A. Routes from 10.1.1.1 are more preferred than routes from 10.2.2.2
- B. Routes from 10.2.2.2 are less preferred than the default local preference
- C. Routes from 10.3.3.3 are more preferred than the default local preference
- D. Routes from 10.2.2.2 are less preferred than routes from 10.3.3.3

Correct Answer: C



QUESTION 2

Click the Exhibit button.



You must create a static route on Router-A to the 10.10.5.0/24 network using 10.10.3.2 as the next hop. Referring to the exhibit, which configuration accomplishes this task?



- A. {master:0}[edit]
user@Router-A# show routing-options
static {
 route 10.10.5.0/24 next-hop 10.10.3.2;
}
- B. user@Router-A# show routing-options
static {
 route 10.10.5.0/24 next-hop 10.10.1.2;
}
- C. {master:0}[edit]
user@Router-A# show routing-options
static {
 route 10.10.5.0/24 {
 next-hop 10.10.3.2;
 qualified-next-hop 10.10.1.2;
 }
}
- D. {master:0}[edit]
user@Router-A# show routing-options
static {
 route 10.10.5.0/24 {
 next-hop 10.10.3.2;
 resolve;
 }
}

A. Option A

B. Option B

C. Option C


D. Option D



Correct Answer: D

QUESTION 3

Click the Exhibit button.



Referring to the exhibit, which two statements are true? (Choose two.)

- A. The BGP peering between R1 and R4 should use loopback interface addresses
- B. The BGP peering between R1 and R4 should use physical interface addresses
- C. The BGP peerings between R1, R2, and R3 should use loopback interface addresses
- D. The BGP peerings between R1, R2, and R3 should use physical interface addresses

Correct Answer: BC

QUESTION 4

Which two IP addresses are considered Martian addresses? (Choose two.)

- A. 0.0.0.0/8
- B. 192.168.0.0/8
- C. 240.0.0.0/4
- D. 169.254.0.0/16



Correct Answer: AC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/recognize-martian-addrouting.html

QUESTION 5

According to Juniper Networks, what are two reasons to peer using loopback addresses when configuring BGP?
(Choose two.)

- A. When establishing an IBGP connection
- B. When routers are not in the same autonomous system
- C. When routers are not directly connected
- D. When establishing a single-link EBGP connection

Correct Answer: AC

[Latest JN0-362 Dumps](#)

[JN0-362 PDF Dumps](#)

[JN0-362 Practice Test](#)