



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements describe operations performed by the encapsulating tunnel endpoint in an IP-IP tunnel? (Choose two.)

- A. It decrements the time-to-live (TTL) counter by one in the inner IP header
- B. It modifies the source and destination addresses in the inner IP header
- C. It adds an outer IP header with the destination address of the remote tunnel endpoint
- D. It creates and adds a new inner IP header with the remote destination device's IP address

Correct Answer: AC

QUESTION 2

Click the Exhibit button.

```
[edit policy-options]
user@router# show
policy-statement load-balance-all {
    then {
        load-balance per-packet
    }
}
```

You have applied the policy shown in the exhibit to the forwarding table on an MX Series device. How is traffic load-balanced?

- A. per frame
- B. per packet
- C. per segment
- D. per flow

Correct Answer: B

QUESTION 3

Click the Exhibit button.



```
[edit protocols mpls]
user@router# show
label-switched-path R1-to-R6 {
  to 172.17.20.6;
  install 10.3.0.0/24 active;
}
```

```
[edit routing-options]
user@router# show
static {
  route 10.3.0.0/24 {
    lsp-next-hop R1-to-R6;
  }
}
```

Both configuration hierarchies shown in the exhibit have been committed to your MX Series device.

Which two statements are true in this scenario? (Choose two.)

- A. Traffic destined to 10.3.0.1 will use the R1-to-R6 LSP as a next hop
- B. Traffic destined to 10.3.0.1 will not use the R1-to-R6 LSP as a next hop
- C. The active 10.3.0.0/24 prefix installed in the route table will have a route preference of 5
- D. The active 10.3.0.0/24 prefix installed in the route table will have a route preference of 7

Correct Answer: AD

QUESTION 4

Click the Exhibit button.



```
[edit interfaces ge-0/0/3]
user@router# show
unit 0 {
    family inet {
        address 10.1.1.29/31;
    }
}
```

```
[edit protocols bgp group BGP]
user@router# show
multihop;
accept-remote-nexthop;
local-address 10.1.1.29;
advertise-inactive;
damping;
family inet {
    unicast;
}
family inet-vpn {
    unicast;
}
peer-as 65511;
local-as 65514;
multipath;
allow 10.100.100.0/24;
neighbor 10.1.1.28;
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The configuration is for an external BGP session
- B. The local-address statement is not required for the BGP session to establish correctly
- C. The configuration is for an internal BGP session
- D. The local-address statement is required for the BGP session to establish correctly

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/local-address-edit-protocols-bgp.html

QUESTION 5



Which MPLS feature works with Constrained Shortest Path First (CSPF) to protect against the primary and secondary paths using the same link?

- A. fate-sharing
- B. explicit null configuration
- C. policy control over LSP selection
- D. LSP metrics

Correct Answer: A

[Latest JN0-362 Dumps](#)

[JN0-362 PDF Dumps](#)

[JN0-362 Braindumps](#)