



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You want to disable MAC learning only for interface ge-0/0/0.0 on an MX Series device. Which syntax will accomplish this task?



- A.
- ```
switch-options {
 no-mac-learning;
}
```
- B.
- ```
bridge-domains {
    bridge-domain-name {
        domain-type bridge;
        interface ge-0/0/0.0;
        bridge-options {
            no-mac-learning;
        }
    }
}
```
- C.
- ```
bridge-domains {
 bridge-domain-name {
 domain-type bridge;
 interface ge-0/0/0.0;
 bridge-options {
 interface ge-0/0/0.0 {
 no-mac-learning;
 }
 }
 }
}
```
- D.
- ```
switch-options {
    no-mac-learning;
    interface xe-2/0/0.0 {
        no-mac-learning;
    }
}
```



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/task/configuration/layer-2-servicesmac-bridge-domain-or-logical-interface-disabling-learning-for.html

QUESTION 2

Click the Exhibit button.



```
[edit]
user@R1# show interfaces
ge-0/0/1 {
    unit 0 {
        family inet {
            address 172.18.1.1/30;
        }
    }
}
lo0 {
    unit 0 {
        family inet {
            address 192.168.254.1/32;
        }
    }
}

[edit]
user@R1# show routing-options

[edit]
user@R1# show protocols ospf
area 0.0.0.0 {
    interface ge-0/0/1.0;
}

[edit]
user@R2# show interfaces
ge-0/0/1 {
    unit 0 {
        family inet {
            address 172.18.1.2/30;
        }
    }
}

[edit]
user@R2# show routing-options
router-id 192.168.254.1;

[edit]
user@R2# show protocols ospf
area 0.0.0.0 {
    interface ge-0/0/1.0 {
        hello-interval 10;
        dead-interval 40;
    }
}
```



You configured R1 and R2 to form an OSPF adjacency, but the adjacency will not establish. Referring to the exhibit, which statement correctly identifies the problem?

- A. Hello and dead timers are not matching between R1 and R2
- B. R1 does not have a router ID defined
- C. R1 and R2 have the same router ID
- D. R2 has a wrong area configured

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/router-id-edit-routing-options.html

QUESTION 3

Which MPLS feature works with Constrained Shortest Path First (CSPF) to protect against the primary and secondary paths using the same link?

- A. fate-sharing
- B. explicit null configuration
- C. policy control over LSP selection
- D. LSP metrics

Correct Answer: A

QUESTION 4

Which two high availability features preserve interface and kernel information during reconvergence? (Choose two.)

- A. graceful restart (GR)
- B. nonstop bridging (NSB)
- C. nonstop active routing (NSR)
- D. graceful Routing Engine switchover (GRES)

Correct Answer: CD

QUESTION 5

Which two functions are performed by the OSPF designated router? (Choose two.)

- A. It advertises link-state information to the AS



- B. It designates some routers as inactive when not needed
- C. It forms adjacencies with all the other OSPF routers on the link
- D. It chooses the backup designated router

Correct Answer: AC

Reference: <https://sites.google.com/site/amitsciscozone/home/juniper-junos/junos--ospf-designated-router>

[Latest JN0-362 Dumps](#)

[JN0-362 Practice Test](#)

[JN0-362 Exam Questions](#)