



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
[edit]
user@router1# show protocols ospf
area 0.0.0.0 {
    interface ge-0/0/1.0 {
        interface-type p2p;
        bfd-liveness-detection {
            minimum-interval 300;
            multiplier 3;
        }
    }
}
```

```
[edit]
user@router2# show protocols ospf
area 0.0.0.0 {
    interface ge-0/0/1.0 {
        interface-type p2p;
        bfd-liveness-detection {
            minimum-interval 400;
            multiplier 3;
        }
    }
}
```

Referring to the exhibit, if there is a connection failure between router1 and router2, how much time will pass before the devices declare the BFD session dead?

- A. 1200 ms
- B. 300 ms
- C. 600 ms
- D. 900 ms

Correct Answer: D

QUESTION 2

Which two statements are correct about the BGP MED attribute? (Choose two.)



- A. BGP uses the MED value when peering to two or more connections to the same upstream AS
- B. BGP routes require the MED attribute be defined
- C. BGP uses the MED value when peering to two different upstream ASs
- D. BGP assumes the MED value to be 0, if not already defined

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/med-attribute.html

QUESTION 3

Which two statements are true for GRE tunneling? (Choose two.)

- A. GRE tunnel endpoints must have a valid route to the remote endpoint
- B. GRE tunnels support multiple logical units per interface
- C. GRE tunnels are stateful by default
- D. GRE tunnels support only one logical unit per interface

Correct Answer: AB

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/filtering-unicast-packetsmulticast-tunnel-interfaces.html#id-configuring-unicast-tunnels

QUESTION 4

Which two characteristics describe IS-IS? (Choose two.)

- A. A collection of Level 1 routers serves as the IS-IS backbone
- B. Level 2 routers connect areas in an IS-IS autonomous system
- C. A collection of Level 2 routers serve as the IS-IS backbone
- D. A Level 1 IS routes between areas and toward other autonomous systems

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/isis-levelsunderstanding.html

QUESTION 5

Which two statements are true about IBGP on MX Series devices? (Choose two.)

- A. Neighbors can be located anywhere within the AS



- B. Interface Lo0 must be used for peering
- C. It does not support multihop
- D. It is loop free by default

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/bgp-ibgp-peering.html

[JN0-362 PDF Dumps](#)

[JN0-362 VCE Dumps](#)

[JN0-362 Braindumps](#)