JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-363.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

QUESTION 1

You are adding an IPv6 configuration to an Interface on a Junos device.

In this scenario, which statement is correct?

A. The link local address must be manually configured within the fdO0::/8 prefix range.

B. The link local address must be manually configured within the fe80::/10 prefix range.

C. The link local address is automatically created using the MAC address within the fe80::\\'l0 prefix range.

D. The link local address is automatically created using the MAC address within the fd00::/8 prefix range.

Correct Answer: D

QUESTION 2

Which statement is correct about IS-IS?

A. IS-IS is a distance vector routing protocol.

B. IS-IS is a path vector routing protocol.

C. IS-IS is a link-state routing protocol.

D. IS-IS is a classful routing protocol.

Correct Answer: C

QUESTION 3

Which two LSA types are permuted in OSPF totally stubby areas? (Choose two.)

A. Type 1

B. Type 3

C. Type 5

D. Type 7

Correct Answer: CD

QUESTION 4

Exhibit button

Which two statements are correct about the service provider MPLS network shown in the exhibit? (Choose two.)

A. R3 will perform a label pop operation on the transport MPLS label.

B. Traffic from Network 1 to Network 3 and traffic from Network 1 to Network 4 each need their own unique label-switched path.

C. Traffic from Network 1 to Network 3 and from Network 1 to Network 4 can share the same label-switched path.

D. R3 will perform a label swap operation on the transport MPLS label.

Correct Answer: AD

QUESTION 5

Click the Exhibit button.

Referring to the exhibit, you have an established RSVP LSP between R1 and R4 when you experience a link failure between R2 and R3. Which two statements are correct? (Choose two.)

A. R2 sends a ResvTear message upstream to R1 signaling the link failure.

B. R3 sends a PathTear message downstream to R4 signaling the link failure.

C. R2 sends a PathTear message upstream to R1 signaling the link failure.

D. R3 sends a ResvTear message downstream to R4 signaling the link failure.

Correct Answer: AB

Latest JN0-363 Dumps   JN0-363 PDF Dumps   JN0-363 Exam Questions