



JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-363.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Exhibit

```
[edit routing-options]
user@R1# show
static {
  defaults {
    preference 20;
  }
  route 0.0.0.0/0 {
    next-hop 172.24.0.1;
    preference 5;
  }
  route 172.24.0.0/24 next-hop [ 172.24.0.100 172.24.0.101 ];
forwarding-table {
  export lbgpp;
}
[edit]
user@R1# show policy-options policy-statement lbgpp
term 1 {
  then {
    load-balance per-packet;
  }
}
```

Which type of load balancing is shown in the exhibit?

- A. elastic load balancing
- B. per-packet load balancing
- C. per-flow load balancing
- D. network load balancing

Correct Answer: D

QUESTION 2

Exhibit



```
Exhibit

user@R1> show vrrp summary
Interface      State      Group  VR state  VR Mode  Type  Address
ge-0/0/4.0    up         10     master    Active   lcl   172.25.100.2
                vip       172.25.100.1

user@R2> show vrrp summary
Interface      State      Group  VR state  VR Mode  Type  Address
ge-0/0/4.0    up         10     master    Active   lcl   172.25.100.3
                vip       172.25.100.1
```

Referring to the exhibit, which statement is true about VRRP?

- A. VRRP communication between the two devices is not functioning correctly.
- B. Both routers are in the same state because they have the same VRRP priority.
- C. VRRP is functioning normally in active/active mode.
- D. The routers should use different virtual IP addresses for VRRP to function correctly.

Correct Answer: D

QUESTION 3

Exhibit

```
[edit]
user@router# set routing-options nonstop-routing
[edit]
user@router#
```

Referring to the exhibit, which two additional steps should you take to fully configure NSR? (Choose two.)

- A. You should configure the max period for NSR precision timers.



- B. You must configure GRES.
- C. You must configure graceful restart.
- D. You should configure commit synchronization.

Correct Answer: AB

QUESTION 4

Exhibit

```
Exhibit
[edit]
user@switch# show routing-instances
sw-1 {
  instance-type virtual-switch;
  bridge-domains {
    vlan_1 {
      vlan-id 1;
    }
    vlan_2 {
      vlan-id 2;
    }
  }
}
[edit]
user@switch# show interfaces xe-1/0/5
unit 0 {
  family bridge {
    interface-mode access;
    vlan-id 2;
  }
}
```

You are asked to assign interface xe-1/0/5 to a virtual switch. What must be accomplished to complete the configuration?

- A. Interface xe-1/0/5 must be added to routing-instance sw-1 vlan_2.
- B. Interface xe-1/0/5 must be a trunk port.
- C. Interface xe-1/0/5 must be added to routing-instance sw-1.
- D. An IRB interface must be configured to routing-instance sw-1 vlan_2.

Correct Answer: C

**QUESTION 5**

Exhibit

```
Exhibit
[edit]
user@R1# show policy-options
policy-statement next-hop-self-policy {
  term alter-next-hop {
    then {
      next-hop self;
    }
  }
}
[edit]
user@R1# show protocols bgp
group int-64503 {
  type internal;
  local-address 192.168.100.1;
  neighbor 192.168.100.2;
}
group ext-64501 {
  type external;
  peer-AS 64501;
  neighbor 172.30.1.2;
}
```

Referring to the exhibit, where should next-hop-self-policy be applied to alter the next-hop value?

- A. The policy is applied as an export policy for the group int-64503.
- B. The policy is applied as an export policy for the group ext-64501.
- C. The policy is applied as an import policy for the group int- 64 503.
- D. The policy is applied as an Import policy for the group ext-64501.

Correct Answer: D

[JN0-363 PDF Dumps](#)

[JN0-363 VCE Dumps](#)

[JN0-363 Braindumps](#)