



# JN0-363<sup>Q&As</sup>

Service Provider Routing and Switching Specialist (JNCIS-SP)

## Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-363.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is correct about the FE80::/10 prefix?

- A. This prefix range is used for the link local address.
- B. This prefix range is used on the loopback interface.
- C. This prefix range is reserved for multicast applications
- D. This prefix range is not reserved.

Correct Answer: A

---

**QUESTION 2**

Exhibit

```
user@router-re0> show system s?  
Possible completions:  
  services          Show service applications information  
  snapshot          Show snapshot information  
  software          Show loaded JUNOS extensions  
  statistics        Show statistics for protocol  
  storage           Show local storage data
```

You have configured graceful RE switchover (GRES), however you cannot complete the show system switchover command. Referring to the exhibit, what is the problem?


- A. The command is only available if non-stop routing is enabled.
- B. The command is only available on the backup Routing Engine.
- C. The command is only available if a backup router is configured.
- D. The command is only available if graceful restart is enabled.

Correct Answer: B

---

**QUESTION 3**

Exhibit



```
[edit]
user@Router1# show protocols bgp
group External {
  peer-as 64525;
  neighbor 172.25.1.2;
}
```


Referring to the exhibit, what must be included in the Router1 configuration when establishing an EBGP session with the ISP?

- A. A local address must be specified.
- B. A local AS must be specified.
- C. The BGP session type internal must be specified.
- D. The BGP session type external must be specified.

Correct Answer: A

#### QUESTION 4

LS11 A AS 65501 ISPB AS 65502 Advertised Prefixes: 172.20.0.0/24 172.20.20.0/24 172.20.21.0/24 Advertised Prefixes: 172.20.0.0/24 172.20.1.0/24



Referring to the exhibit, which two statements are correct? (Choose two.)

- A. Devices in AS 65512 will prefer ISP A for traffic destined to the 172.20.21.0/24 network.
- B. Devices In AS 65512 will prefer ISP A for traffic destined to the 172.20.0.0/24 network.
- C. Devices in AS 65512 will prefer ISP B for traffic destined to the 172.20.21.0/24 network.
- D. Devices In AS 65512 will prefer ISP B for traffic destined to the 172.20.0.0/24 network.

Correct Answer: C

## QUESTION 5

Exhibit



## Exhibit

```
user@R1> show configuration protocols mpls
label-switched-path R1_TO_R5 {
  to 192.168.1.5;
  no-cspf;
}
interface ge-0/0/0.0;
interface ge-0/0/1.0;
```

You have an established LSP between your R1 and R5 devices using the configuration shown in the exhibit. You are asked to ensure that MPLS labels are used to forward traffic by all devices within the LSP.

Which action will accomplish this behavior?

- A. Configure the ultimate-hop-popping statement under the R1\_TO\_R5 label switched path on R1.
- B. Configure the explicit-null statement under the protocol mpls hierarchy on R1.
- C. Delete the no-cspf statement under the R1\_TO\_R5 label switched path on R1.
- D. Configure the install statement under the R1\_TO\_R5 label switched path on R1.

Correct Answer: D

[Latest JN0-363 Dumps](#)

[JN0-363 VCE Dumps](#)

[JN0-363 Practice Test](#)