



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are two benefits of network automation? (Choose two)

- A. to enforce consistency in automated devices
- B. to increase programming language fluency
- C. to provide historical configuration management
- D. to improve product lifecycle management

Correct Answer: AD

QUESTION 2

You have created an on-box script and want to deploy it on your device. You plan to place it in a directory where the Junos OS can execute it.

Which two privilege levels would be used to accomplish this task? (Choose two)

- A. read-only
- B. super-user
- C. root
- D. operator

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/task/configuration/junos-scriptautomation-script-storing-enabling.html

QUESTION 3

You are asked by your manager to automatically switch traffic from the primary link to the backup link on the MX Series device at the branch site whenever latency is above 300 ms over a 5-minute period. Which type of Junos script would you use in this scenario?

- A. Op
- B. SNMP
- C. Commit
- D. Event

Correct Answer: D



Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/junos-script-automationoverview.html

QUESTION 4

In a Python commit script, which object provides the post-inheritance candidate configuration?

- A. Commit-Script-Input
- B. Junos_Configuration
- C. Candidate_Configuration
- D. Checkout_Configuration

Correct Answer: B

Python automation scripts import the Junos_Context dictionary when the script must access information about the script execution environment. The Junos_Configuration object is required when the commit script must read and manipulate the post-inheritance candidate configuration. Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/general/junos-scriptautomation-boilerplate-commit-scripts.html

QUESTION 5

Which two primary processes are used by Juniper devices for on-box or off-box automation? (Choose two)

- A. mgd
- B. ancpd
- C. jsd
- D. rpd

Correct Answer: BC

[Latest JN0-420 Dumps](#)

[JN0-420 PDF Dumps](#)

[JN0-420 Practice Test](#)