



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which command is used to execute an Ansible playbook?

- A. ansible-vault
- B. ansible
- C. ansible-galaxy
- D. ansible-playbook

Correct Answer: D

Reference: https://docs.ansible.com/ansible/2.4/command_line_tools.html

QUESTION 2

With which three processes does the JET service process communicate? (Choose three)

- A. snmpd
- B. ancpd
- C. cosd
- D. mgd
- E. rpd

Correct Answer: ADE

QUESTION 3

What is a valid method for determining the Junos RPC associated with the show version command?



```
A. Use the var $rpc-show-version = <rpc> {  
    <command> "show version";  
}
```

```
var $show-version = jcs: execute ($connection, $rpc-show-version);  
commands
```

```
B. Use the user@router> show version | display json groups command
```

```
C. Use the >>>from jnpr.junos import Device  
>>> router = Device (host='192.168.1.1', user='root', passwd='pass123')  
>>> router.open()  
Device (192.168.1.1)  
>>> router.display_xml_rpc ('show version', format='text') commands
```

```
D. Use the user@router> show version | display xml command
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 4

In a Python commit script, which object provides the post-inheritance candidate configuration?

A. Commit-Script-Input

B. Junos_Configuration

C. Candidate_Configuration

D. Checkout_Configuration

Correct Answer: B

Python automation scripts import the Junos_Context dictionary when the script must access information about the script execution environment. The Junos_Configuration object is required when the commit script must read and manipulate the post-inheritance candidate configuration. Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/general/junos-scriptautomation-boilerplate-commit-scripts.html

**QUESTION 5**

What are two attributes of the jsd JET service process? (Choose two)

- A. It executes one API request per session
- B. It executes APIs from multiple sessions in parallel
- C. It supports only one client session at a time
- D. It creates a separate thread to service JET application requests

Correct Answer: BD

To support application interaction with Junos OS, the JETservice process (jsd), by default, uses TCP port 32767 to listen for and receive requests from applications to execute APIs. Whenever a request comes on the TCP port, jsd creates a separate thread to service the JET application request. The session remains established as long as the client and server are both up and able to communicate with each other. Over the lifetime of a session, jsd can execute many APIs, and it can execute APIs from multiple sessions in parallel. You can have a maximum of 8 active client sessions connected at any given time. Reference: https://www.juniper.net/documentation/en_US/junos/information-products/pathway-pages/config-guide-jetapplications/jet-apps-administration-guide-jet.pdf

[Latest JN0-420 Dumps](#)

[JN0-420 PDF Dumps](#)

[JN0-420 Practice Test](#)