



JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is the AP's role in the IEEE 802.1X authentication process?

- A. It acts as an authenticator.
- B. It acts as a RADIUS proxy server.
- C. It acts as a supplicant.
- D. It acts as an authentication server.

Correct Answer: D

QUESTION 2

What are three available rate limiting options in the Mist UI? (Choose three.)

- A. Network
- B. Application
- C. wLan
- D. Per-Client
- E. Per-Site

Correct Answer: BCD

Reference: <https://www.mist.com/documentation/wlan-rate-limiting/>

QUESTION 3

Which two statements are correct about Juniper Mist Dynamic Packet Capture? (Choose two.)

- A. No configuration is necessary for Mist's Dynamic Packet Capture.
- B. It is automatically attached to a client event displayed on the Insights page.
- C. It must be globally configured at the organization level.
- D. It is automatically attached to the Affected Items list in the Successful Connects SLE.

Correct Answer: AB

QUESTION 4

Which access points (APs) will be considered for inclusion in the AP Offline Marvis Action?



- A. all APs assigned to sites that have connected to the cloud previously
- B. all APs assigned to sites
- C. all APs in inventory
- D. all purchased APs

Correct Answer: B

Reference: <https://www.mist.com/documentation/whats-new-in-marvis-actions/>

QUESTION 5

Referring to the exhibit, what is the site ID?

The screenshot shows the Mist Cloud interface for the 'Live Demo' site. It displays a summary of 10 Access Points and 7 Wireless Clients. Below this, there are three progress bars: 70% Connection Status, 100% VLANs, and 70% Version Compliance. A table lists the details of the 10 Access Points, including their status, name, MAC address, IP address, external IP address, number of clients, 4GHz clients, and 5GHz clients.

Status	Name	MAC Address	IP Address	External IP Address	No. Clients	4GHz Clients	5GHz Clients
Connected	LD_Kitchen	5c5b350e086d	10.2.11.245	73.92.124.103	1	0	1
Connected	LD_Marvis	5c5b350e4592	10.2.12.170	73.92.124.103	2	0	2
Connected	LD_Relay-Desk-A	5c5b35215789	10.2.14.131	73.92.124.103	0	0	0
Connected	LDDeckard-Mesh-Base	5c5b3521597d	10.2.13.28	73.92.124.103	1	0	1
Connected	LD Deckard-Mesh-Relay	5c5b35215c5c	5c5b35215c5c	73.92.124.103	1	0	1

- A. 9777c1a0-6ef6-11e6-8bbf-02e208b2d34
- B. 02e208b2d34
- C. 02e208b2d34f
- D. 978c48e6-6ef6-11e6-8bbf-02e208b2d34f

Correct Answer: D

Reference: <https://www.mist.com/documentation/find-org-site-id/>