



JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

The screenshot displays a network monitoring interface. At the top, it shows 'Client Events' with a summary: 534 Total, 435 Good, 68 Neutral, and 31 Bad. Below this is a table of events:

Event Type	Client	Time
DNS Failure	[Redacted]	09:29:00.545 AM, Jun 22
DNS Failure	[Redacted]	08:58:21.178 AM, Jun 22
Authorization Failure	[Redacted]	08:35:56.200 AM, Jun 22
Authorization Failure	[Redacted]	08:29:54.612 AM, Jun 22
DHCP Terminated	[Redacted]	08:15:31.593 AM, Jun 22
DHCP Terminated	[Redacted]	05:10:17.995 AM, Jun 22
Authorization Failure	[Redacted]	05:02:14.453 AM, Jun 22
DHCP Denied	[Redacted]	03:51:04.351 AM, Jun 22

To the right of the events table, there are two buttons: 'Download Packet Capture' and 'Analyze Packet Capture'. Below the buttons, a details pane shows the following information:

Client	[Redacted]	AP	AP43
BSSID	5c:5b:35:5c:fa:f1	RSSI	-66 dBm
SSID	Mist	Band	2.4 GHz
Description	Status code 79 "Transmission failure"		

Referring to the exhibit, which statement is correct?

- A. The packet capture was taken automatically.
- B. The packet capture was taken manually.
- C. The packet capture will contain full frames.
- D. The packet capture will contain only management frames.

Correct Answer: C

QUESTION 2

Referring to the exhibit, what is the site ID?



Status	Name	MAC Address	IP Address	External IP Address	No. Clients	4GHz Clients	5GHz Clients
Connected	LD_Kitchen	5c5b350e086d	10.2.11.245	73.92.124.103	1	0	1
Connected	LD_Marvis	5c5b350e4592	10.2.12.170	73.92.124.103	2	0	2
Connected	LD_Reley-Desk-A	5c5b35215789	10.2.14.131	73.92.124.103	0	0	0
Connected	LD_Deckard-Mesh-Base	5c5b3521597d	10.2.13.28	73.92.124.103	1	0	1
Connected	LD_Deckard-Mesh-Relay	5c5b35215c5c	5c5b35215c5c	73.92.124.103	1	0	1

- A. 9777c1a0-6ef6-11e6-8bbf-02e208b2d34
- B. 02e208b2d34
- C. 02e208b2d34f
- D. 978c48e6-6ef6-11e6-8bbf-02e208b2d34f

Correct Answer: D

Reference: <https://www.mist.com/documentation/find-org-site-id/>

QUESTION 3

Asset tracking using Mist-supported third-party BLE beacons has been installed in a warehouse. The BLE beacons were configured using their manufacturer-supplied configuration utility and BLE was properly configured for the site settings. When the warehouse floor plan is opened in Live View, the third-party beacons are not shown.

Which two statements describe causes for this issue? (Choose two.)

- A. The Show assets check box has not been selected in Live View.
- B. Marvis was not enabled for the site.
- C. The Locate this Client as an Asset check box has not been selected at the BLE client level.
- D. The APs are installed at 19 feet from the floor, above the recommended 15 feet.

Correct Answer: AC

QUESTION 4



Which two statements are true about 802.1X/EAP? (Choose two.)

- A. Credentials are exchanged with a RADIUS server prior to the 4-way Handshake.
- B. Credentials are exchanged with a RADIUS server after the 802.11 Association.
- C. Credentials are exchanged with a RADIUS server after the 4-way Handshake.
- D. Credentials are exchanged with a RADIUS server prior to the 802.11 Association.

Correct Answer: AC

QUESTION 5

Mist WLAN objects are configurable at which two levels? (Choose two.)

- A. site group
- B. organization
- C. site
- D. access point

Correct Answer: CD

[JN0-451 PDF Dumps](#)

[JN0-451 VCE Dumps](#)

[JN0-451 Study Guide](#)