



JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

SRX Series devices with AppSecure support which three custom signatures? (Choose three.)

- A. MAC address-based mapping
- B. latency detection mapping
- C. IP protocol-based mapping
- D. ICMP-based mapping
- E. Layer 7-based signatures

Correct Answer: CDE

QUESTION 2

Which statement about transparent mode on an SRX340 is true?

- A. You must reboot the device after configuring transparent mode.
- B. Security policies applied to transparent mode zones require Layer 2 address matching.
- C. Screens are not supported in transparent mode security zones.
- D. All interfaces on the device must be configured with the ethernet-switching protocol family.

Correct Answer: A

QUESTION 3

You need to add all of the sites in the domain example.com to urllist2. You decide to use wildcards to account for any changes made to the domain in the future.

In this scenario, which two commands would you use to meet this requirement? (Choose two.)

- A. set custom-objects url-pattern urllist2 value http://*.example.com
- B. set custom-objects url-pattern urllist2 value http://*example.com
- C. set custom-objects url-pattern urllist2 value http://*.example.???
- D. set custom-objects url-pattern urllist2 value http://*.example.*

Correct Answer: AC

QUESTION 4



You have implemented APBR on your SRX Series device and are verifying that your changes are working properly. You notice that when you start the application for the first time, it does not follow the expected path.

What are two reasons that would cause this behavior? (Choose two.)

- A. The application system cache does not have an entry for the first session.
- B. The application system cache has been disabled.
- C. The application system cache already has an entry for this application.
- D. The advanced policy-based routing is applied to the ingress zone and must be moved to the egress zone.

Correct Answer: AB

QUESTION 5

You are using the integrated user firewall feature on an SRX Series device.

Which three parameters are stored in the Active Directory authentication table? (Choose three.)

- A. IP address
- B. MAC address
- C. group mapping
- D. username
- E. password

Correct Answer: ACD

[Latest JN0-634 Dumps](#)

[JN0-634 Exam Questions](#)

[JN0-634 Braindumps](#)