



# JN0-636<sup>Q&As</sup>

Service Provider Routing and Switching Professional (JNCIP-SP)

## Pass Juniper JN0-636 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-636.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

You have noticed a high number of TCP-based attacks directed toward your primary edge device. You are asked to configure the IDP feature on your SRX Series device to block this attack. Which two IDP attack objects would you configure to solve this problem? (Choose two.)

- A. Network
- B. Signature
- C. Protocol anomaly
- D. host

Correct Answer: BC

---

**QUESTION 2**

Exhibit

```
May 23 05:20:34 Vendor-Id: 0 Attribute Type:Reply-Message(18) Value:string-type
Length:36
May 23 05:20:34 authd_radius_parse_message:generic-type:18
May 23 05:20:34 Vendor-Id: 0 Attribute Type:Reply-Message(18) Value:string-type
Length:15
May 23 05:20:34 authd_radius_parse_message:generic-type:18
May 23 05:20:34 Framework - module(radius) return: FAILURE
```

You configure a traceoptions file called radius on your returns the output shown in the exhibit What is the source of the problem?

- A. An incorrect password is being used.
- B. The authentication order is misconfigured.
- C. The RADIUS server IP address is unreachable.
- D. The RADIUS server suffered a hardware failure.

Correct Answer: D

---

**QUESTION 3**

Exhibit You are using trace options to verify NAT session information on your SRX Series device Referring to the exhibit, which two statements are correct? (Choose two.)



```
Exhibit

Aug 1 21:04:18 21:04:18.706917:CID-0:RT: <10.0.1.129/22->10.0.1.1/61673;6,0x0>
matched filter MatchTrafficReverse:
Aug 1 21:04:18 21:04:18.706919:CID-0:RT: packet [88] ipid = 18817, @0x9e5a9cce
Aug 1 21:04:18 21:04:18.706919:CID-0:RT: ---- flow_process_pkt: (thd 1):
flow_ctxt type 15, common flag 0x0, mbuf 0x7122ae00, rtbl_idx = 0
Aug 1 21:04:18 21:04:18.706920:CID-0:RT: flow process pak fast ifl 80 in_ifp
ge-0/0/1.0
Aug 1 21:04:18 21:04:18.706921:CID-0:RT: ge-0/0/1.0:10.0.1.129/22-
>10.0.1.1/21755, tcp, flag 18
Aug 1 21:04:18 21:04:18.706925:CID-0:RT: find flow: table 0x2b5a7ec0, hash
282613(0x7fffff), sa 10.0.1.129, da 10.0.1.1, sp 22, dp 19066, proto 6, tok 10,
conn-tag 0x00000000, vrf-grp-id 0
Aug 1 21:04:18 21:04:18.706928:CID-0:RT: Found: session id 0x5eaf7. sess tok
10
Aug 1 21:04:18 21:04:18.706929:CID-0:RT: flow got session.
Aug 1 21:04:18 21:04:18.706929:CID-0:RT: flow session id 371447
Aug 1 21:04:18 21:04:18.706931:CID-0:RT: post addr xlation: 10.0.1.129-
>172.20.101.10.
Aug 1 21:04:18 21:04:18.706933:CID-0:RT: post addr xlation: 10.0.1.129-
>172.20.101.10.
Aug 1 21:04:18 21:04:18.706935:CID-0:RT: mbuf 0x7122ae00, exit nh 0x140010
```

- A. This packet is part of an existing session.
- B. The SRX device is changing the source address on this packet from
- C. This is the first packet in the session
- D. The SRX device is changing the destination address on this packet 10.0.1.1 to 172.20.101.10.

Correct Answer: CD

#### QUESTION 4

Exhibit.



Create remote custom feed ?

Name\* ? Custom-feed1

Description ? Write description...

Feed Type\* ? Infected Hosts ▾

Type of server url\* ? ☒ http ☐ https

Server File URL\* http://10.10.10.10/feeds

Username ? lab

Password ? .....

Referring to the exhibit, which two statements are true? (Choose two.)

- A. Juniper Networks will not investigate false positives generated by this custom feed.
- B. The custom infected hosts feed will not overwrite the Sky ATP infected host's feed.
- C. The custom infected hosts feed will overwrite the Sky ATP infected host's feed.
- D. Juniper Networks will investigate false positives generated by this custom feed.

Correct Answer: AC

Explanation: [https://www.juniper.net/documentation/en\\_US/junos-space18.1/policy-enforcer/topics/task/configuration/junos-space-policyenforcer-custom-feeds-infected-host-configure.html](https://www.juniper.net/documentation/en_US/junos-space18.1/policy-enforcer/topics/task/configuration/junos-space-policyenforcer-custom-feeds-infected-host-configure.html)

## QUESTION 5

Exhibit





```
Aug 1 11:28:23 11:28:23.434801:CID-0:THREAD_ID-01:RT:<172.20.101.10/59009->10.0.1.129/22;6,0x0> matched filter TestFilter:
Aug 1 11:28:23 11:28:23.434805:CID-0:THREAD_ID-01:RT:packet [64] ipid = 36644, @0xef3edece
Aug 1 11:28:23 11:28:23.434810:CID-0:THREAD_ID-01:RT:---- flow_process_pkt: (thd 1): flow_ctxt type 15, common flag 0x0, mbuf 0x6918b800, rtbl_idx = 0
Aug 1 11:28:23 11:28:23.434817:CID-0:THREAD_ID-01:RT:ge-0/0/4.0: 172.20.101.10/59009->10.0.1.129/22, tcp, flag 2 syn
Aug 1 11:28:23 11:28:23.434819:CID-0:THREAD_ID-01:RT:find flow: table 0x206a60a0, hash 43106(0xffff), sa 172.20.101.10, da 10.0.1.129, sp 59009, dp 22, proto 6, tok 9, conn-tag 0x00000000
Aug 1 11:28:23 11:28:23.434822:CID-0:THREAD_ID-01:RT:no session found, start first path. in_tunnel - 0x0, from_cp_flag - 0
Aug 1 11:28:23 11:28:23.434826:CID-0:THREAD_ID-01:RT:flow_first_create_session
Aug 1 11:28:23 11:28:23.434834:CID-0:THREAD_ID-01:RT:flow_first_in_dst_nat: in <ge-0/0/4.0>, out <N/A> dst_adr 10.0.1.129, sp 59009, dp 22
Aug 1 11:28:23 11:28:23.434835:CID-0:THREAD_ID-01:RT:chose interface ge-0/0/4.0 as incoming nat if.
Aug 1 11:28:23 11:28:23.434838:CID-0:THREAD_ID-01:RT:flow_first_rule_dst_xlate: DST no-xlate: 0.0.0.0(0) to 10.0.1.129(22)
```

The exhibit shows a snippet of a security flow trace.

In this scenario, which two statements are correct? (Choose two.)

- A. This packet arrived on interface ge-0/0/4.0.
- B. Destination NAT occurs.
- C. The capture is a packet from the source address 172.20.101.10 destined to 10.0.1.129.
- D. An existing session is found in the table.

Correct Answer: CD

[JN0-636 Practice Test](#)

[JN0-636 Study Guide](#)

[JN0-636 Braindumps](#)