



JN0-636^{Q&As}

Service Provider Routing and Switching Professional (JNCIP-SP)

Pass Juniper JN0-636 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-636.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Exhibit

```
Aug 3 01:28:23 01:28:23.434801:CID-0:THREAD_ID-01:RT: <172.20.101.10/59009-
>10.0.1.129/22;6,0x0> matched filter MatchTraffic:
Aug 3 01:28:23 01:28:23.434805:CID-0:THREAD_ID-01:RT: packet [64] ipid =
36644, @0xef3edece
Aug 3 01:28:23 01:28:23.434810:CID-0:THREAD_ID-01:RT: ---- flow_process_pkt:
(thd 1): flow_ctxt type 15, common flag 0x0, mbuf 0x6918b800, rtbl_idx = 0
Aug 3 01:28:23 01:28:23.434817:CID-0:THREAD_ID-01:RT: ge-
0/0/4.0:172.20.101.10/59009->10.0.1.129/22, tcp, flag 2 syn
Aug 3 01:28:23 01:28:23.434819:CID-0:THREAD_ID-01:RT: find flow: table
0x206a60a0, hash 43106(0xffff), sa 172.20.101.10, da 10.0.1.129, sp 59009, dp
22, proto 6, tok 9, conn-tag 0x00000000
Aug 3 01:28:23 01:28:23.434822:CID-0:THREAD_ID-01:RT: no session found,
start first path. in_tunnel - 0x0, from_cp_flag - 0
Aug 3 01:28:23 01:28:23.434826:CID-0:THREAD_ID-01:RT:
flow_first_create_session
Aug 3 01:28:23 01:28:23.434834:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat:
in <ge-0/0/3.0>, out <N/A> dst_adr 10.0.1.129, sp 59009, dp 22
Aug 3 01:28:23 01:28:23.434835:CID-0:THREAD_ID-01:RT: chose interface ge-
0/0/4.0 as incoming nat if.
Aug 3 01:28:23 01:28:23.434838:CID-0:THREAD_ID-01:RT:
flow_first_rule_dst_xlate: DST no-xlate: 0.0.0.0(0) to 10.0.1.129(22)
Aug 3 01:28:23 01:28:23.434849:CID-0:THREAD_ID-01:RT: flow_first_routing:
vr_id 0, call flow_route_lookup(): src_ip 172.20.101.10, x_dst_ip 10.0.1.129,
in ifp ge-0/0/4.0, out ifp N/A sp 59009, dp 22, ip_proto 6, tos 0
Aug 3 01:28:23 01:28:23.434861:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.1.0.129) from trust (ge-0/0/4.0 in 0) to ge-0/0/2.0, Next-hop: 10.0.1.129
Aug 3 01:28:23 01:28:23.434863:CID-0:THREAD_ID-01:RT:
flow_first_policy_search: policy search from zone trust-> zone untrust
(0x0,0xe6810016,0x16)
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: packet dropped, denied
by policy
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: denied by policy Deny-
Telnet(5), dropping pkt
Aug 3 01:28:26 01:28:26.434138:CID-0:THREAD_ID-01:RT: packet dropped,
policy deny.
```

Referring to the exhibit, which statement is true?

- A. This custom block list feed will be used before the Juniper SecIntel
- B. This custom block list feed cannot be saved if the Juniper SecIntel block list feed is configured.
- C. This custom block list feed will be used instead of the Juniper SecIntel block list feed
- D. This custom block list feed will be used after the Juniper SecIntel block list feed.

Correct Answer: D

**QUESTION 2**

You are connecting two remote sites to your corporate headquarters site; you must ensure that all traffic is secured and only uses a single Phase 2 SA for both sites.

In this scenario, which VPN should be used?

- A. An IPsec group VPN with the corporate firewall acting as the hub device.
- B. Full mesh IPsec VPNs with tunnels between all sites.
- C. A hub-and-spoke IPsec VPN with the corporate firewall acting as the hub device.
- D. A full mesh Layer 3 VPN with the corporate firewall acting as the hub device.

Correct Answer: A

Explanation: <https://www.juniper.net/us/en/local/pdf/app-notes/3500202-en.pdf>

QUESTION 3

You are required to deploy a security policy on an SRX Series device that blocks all known Tor network IP addresses. Which two steps will fulfill this requirement? (Choose two.)

- A. Enroll the devices with Juniper ATP Appliance.
- B. Enroll the devices with Juniper ATP Cloud.
- C. Enable a third-party Tor feed.
- D. Create a custom feed containing all current known MAC addresses.

Correct Answer: AB

Explanation: To block all known Tor network IP addresses on an SRX Series device, the following steps must be taken:

Enroll the devices with Juniper ATP Appliance or Juniper ATP Cloud: both of these services provide threat intelligence feeds that include known IP addresses associated with the Tor network. By enrolling the SRX Series device, the device

will have access to the latest Tor network IP addresses, and it can then use this information to block traffic from those IP addresses. Creating a custom feed containing all current known MAC addresses, is not a valid option since Tor network

uses IP addresses, MAC addresses are not used to identify the Tor network.

Enable a third-party Tor feed may be used but it's not necessary as Juniper ATP Appliance and Juniper ATP Cloud already provide the same feature.

QUESTION 4

Exhibit



Exhibit



```
user@srx> show log flow-log
Apr 13 17:46:17 17:46:17.316930:CID-0:THREAD_ID-01:RT:<10.10.101.10/65131-
>10.10.102.1/22;6,0x0> matched filter F1:
Apr 13 17:46:17 17:46:17.317009:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.10.102.1) from trust (ge-0/0/4.0 in 0) to ge-0/0/5.0, Next-hop: 10.10.102.1
Apr 13 17:46:17 17:46:17.317016:CID-0:THREAD_ID-
01:RT:flow_first_policy_search: policy search from zone trust-> zone dmz
(0x0,0xfe6b0016,0x16)
Apr 13 17:46:17 17:46:17.317019:CID-0:THREAD_ID-01:RT:Policy lkup: vsys 0
zone(8:trust) -> zone(9:dmz) scope:0
Apr 13 17:46:17 17:46:17.317020:CID-0:THREAD_ID-01:RT: 10.10.101.10/65131 ->
10.10.102.1/22 proto 6
Apr 13 17:46:17 17:46:17.317031:CID-0:THREAD_ID-01:RT: permitted by policy
trust-to-dmz(8)
Apr 13 17:46:17 17:46:17.317031:CID-0:THREAD_ID-01:RT: packet passed,
Permitted by policy.
Apr 13 17:46:17 17:46:17.317038:CID-0:THREAD_ID-01:RT: choose interface ge-
0/0/5.0(P2P) as outgoing phy if
Apr 13 17:46:17 17:46:17.317042:CID-0:THREAD_ID-01:RT:is_loop_pak: Found loop
on ifp ge-0/0/5.0, addr: 10.10.102.1, rtt_idx: 0 addr_type:0x3.
Apr 13 17:46:17 17:46:17.317044:CID-0:THREAD_ID-
01:RT:flow_first_loopback_check: Setting interface: ge-0/0/5.0 as loop ifp.
Apr 13 17:46:17 17:46:17.317213:CID-0:THREAD_ID-01:RT:
flow_first_create_session
Apr 13 17:46:17 17:46:17.317215:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat:
0/0/5.0 as incoming nat if.
call flow_route_lookup(): src_ip 10.10.101.10, x_dst_ip 10.10.102.1, in ifp
ge-0/0/5.0, out ifp N/A sp 65131, dp 22, ip_proto 6, tos 0
Apr 13 17:46:17 17:46:17.317227:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.10.102.1) from dmz (ge-0/0/5.0 in 0) to .local..0, Next-hop: 10.10.102.1
Apr 13 17:46:17 17:46:17.317228:CID-0:THREAD_ID-
01:RT:flow_first_policy_search: policy search from zone dmz-> zone junos-host
(0x0,0xfe6b0016,0x16)
Apr 13 17:46:17 17:46:17.317230:CID-0:THREAD_ID-01:RT:Policy lkup: vsys 0
zone(9:dmz) -> zone(2:junos-host) scope:0
Apr 13 17:46:17 17:46:17.317230:CID-0:THREAD_ID-01:RT: 10.10.101.10/65131 ->
10.10.102.1/22 proto 6
Apr 13 17:46:17 17:46:17.317236:CID-0:THREAD_ID-01:RT: packet dropped, denied
by policy
Apr 13 17:46:17 17:46:17.317237:CID-0:THREAD_ID-01:RT: denied by policy deny-
ssh(9), dropping pkt
Apr 13 17:46:17 17:46:17.317237:CID-0:THREAD_ID-01:RT: packet dropped, policy
deny.
```

You are using traceoptions to verify NAT session information on your SRX Series device. Referring to the exhibit, which two statements are correct? (Choose two.)

- A. This is the last packet in the session.
- B. The SRX Series device is performing both source and destination NAT on this session.
- C. This is the first packet in the session.
- D. The SRX Series device is performing only source NAT on this session.

Correct Answer: AB

**QUESTION 5**

Exhibit

```
user@SRX> show security flow session
...
Session ID: 4546, Policy name: policy1/8, Timeout: 4, Valid
  In: 10.10.10.2/6 --> 10.10.20.2/1382;icmp, Conn Tag 0x0, If: st0.0, Pkts: 1,
  Bytes: 84
  Out: 10.20.20.2/1382 --> 10.10.10.2/6;icmp, Conn Tag 0x0, If: ge-0/0/3.0,
  Pkts: 1, Bytes: 84
Session ID: 4547, Policy name: policy2/5, Timeout: 4, Valid
  In: 10.20.20.2/226 --> 10.10.10.2/38703;icmp, Conn Tag 0x0, If: ge-0/0/3.0,
  Pkts: 1, Bytes: 84
  Out: 10.10.10.2/38703 --> 10.10.20.2/226;icmp, Conn Tag 0x0, If: st0.0, Pkts:
  1, Bytes: 84
Total sessions: 13
```

You are validating bidirectional traffic flows through your IPsec tunnel. The 4546 session represents traffic being sourced from the remote end of the IPsec tunnel. The 4547 session represents traffic that is sourced from the local network destined to the remote network.

Which statement is correct regarding the output shown in the exhibit?

- A. The remote gateway address for the IPsec tunnel is 10.20.20.2
- B. The session information indicates that the IPsec tunnel has not been established
- C. The local gateway address for the IPsec tunnel is 10.20.20.2
- D. NAT is being used to change the source address of outgoing packets

Correct Answer: B

[Latest JN0-636 Dumps](#)

[JN0-636 PDF Dumps](#)

[JN0-636 Braindumps](#)