



JN0-636^{Q&As}

Service Provider Routing and Switching Professional (JNCIP-SP)

Pass Juniper JN0-636 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-636.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Exhibit



Your company recently acquired a competitor. You want to use using the same IPv4 address space as your company. Referring to the exhibit, which two actions solve this problem? (Choose two)

- A. Configure static NAT on the SRX Series devices.
- B. Connect the competitor network using IPsec policy-based VPNs.
- C. Identify two neutral IPv4 address spaces for address translation.
- D. Configure IPsec Transport mode.

Correct Answer: AC

QUESTION 2

Your company wants to use the Juniper SecIntel feeds to block access to known command and control servers, but they do not want to use Security Director to manage the feeds. Which two Juniper devices work in this situation? (Choose two)

- A. EX Series devices
- B. MX Series devices
- C. SRX Series devices
- D. QFX Series devices

Correct Answer: BC

Explanation: Juniper MX and SRX series devices support the integration of SecIntel feeds, which provide information about known command and control servers, for the purpose of blocking access to them. These devices can be configured to use the SecIntel feeds without the need for Security Director to manage the feeds. EX series and QFX series devices are not capable of working in this situation, as they do not support the integration of SecIntel feeds.

QUESTION 3

Exhibit An administrator wants to configure an SRX Series device to log binary security events for tenant systems.



Referring to the exhibit, which statement would complete the configuration?

```
[edit tenants TSYS1 security]
user@srx# show
log {
mode stream;
stream TN1_s format binary host 10.3.54.22
source address 10.3.45.66
transport protocol tls
...
}
[edit system security-profile p1]
user@srx# show
security-log-stream-number reserved 1
security-log-stream-number maximum 2
```

- A. Configure the tenant as TSYS1 for the pi security profile.
- B. Configure the tenant as root for the pi security profile.
- C. Configure the tenant as master for the pi security profile.
- D. Configure the tenant as local for the pi security profile

Correct Answer: B

QUESTION 4

While troubleshooting security policies, you added the count action. Where do you see the result of this action?

- A. In the show security policies hit-count command output.
- B. In the show security flow statistics command output.
- C. In the show security policies detail command output.
- D. In the show firewall log command output.

Correct Answer: A

QUESTION 5

You are asked to configure a security policy on the SRX Series device. After committing the policy, you receive the "Policy is out of sync between RE and PFE ." error.



Which command would be used to solve the problem?

- A. request security polices resync
- B. request service-deployment
- C. request security polices check
- D. restart security-intelligence

Correct Answer: A

https://kb.juniper.net/InfoCenter/index?page=content&id=KB30443&cat=SRX_SERIES&act=p=LIST

[Latest JN0-636 Dumps](#)

[JN0-636 Study Guide](#)

[JN0-636 Exam Questions](#)