JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-648.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You are enabling MSTP in your Layer 2 network to prevent loops.

In this scenario, which three parameters must match on all switches in the network? (Choose three.)

A. bridge priority

B. revision level

C. MSTI-to-VLAN mapping

D. configuration name

E. max age

Correct Answer: BCD

QUESTION 2

Which BGP message type contains NLRI information?

A. notification

B. keepalive

C. update

D. open

Correct Answer: C

QUESTION 3

In a Layer 2 environment where 802.1X is deployed, which two statements are correct? (Choose two.)

A. RADIUS messages are exchanged between the supplicant and the authenticator.

B. RADIUS messages are exchanged between the authenticator and the authentication server.

C. Extensible Authentication Protocol messages are exchanged between the authenticator and the authentication server.

D. Extensible Authentication Protocol messages are exchanged between the supplicant and the authenticator.

Correct Answer: BD

QUESTION 4

Which three types of ports are used for Junos Fusion Enterprise? (Choose three.)

A. extended port

B. authenticated port

C. cascade port

D. uplink port

E. designated port

Correct Answer: ACD

QUESTION 5

You have configured class mode power management on an EX4300 to provide PoE power to telephone and security camera equipment. You want to ensure that security camera power takes priority over telephone power.

Which two actions would solve this problem? (Choose two.)

A. Connect the security cameras to the lowest port numbers on the switch.

B. Set the power priority to high on ports connected to security cameras.

C. Set the maximum power settings on ports connected to security cameras.

D. Set the power priority to low on ports connected to security cameras.

Correct Answer: AB