



# JN0-648<sup>Q&As</sup>

Enterprise Routing and Switching, Professional (JNCIP-ENT)

## Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-648.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
user@router# show interfaces ge-0/0/1
description "Customer Port";
flexible-vlan-tagging;
native-vlan-id 150;
encapsulation extended-vlan-bridge;
unit 10 {
    vlan-id-list 100-200;
    input-vlan-map push;
    output-vlan-map pop;
}
user@router# show interfaces xe-0/0/48
description "Uplink Port";
vlan-tagging;
unit 10 {
    vlan-id 10;
}

user@router# show vlans v10
interface ge-0/0/1.10;
interface xe-0/0/48.10;
```

Referring to the exhibit, which two statements are true regarding Q-in-Q tunneling? (Choose two.)

- A. The C-VLAN traffic will be encapsulated with an outer VLAN tag of 150.
- B. The C-VLANs 100-200 will be sent as the inner VLAN tag.
- C. The C-VLAN 150 will be sent as the inner VLAN tag.
- D. The C-VLAN traffic will be encapsulated with an outer VLAN tag of 10.

Correct Answer: BD

---

**QUESTION 2**

Click the Exhibit button.



```
[edit]
user@Router-1# show
. . .
interfaces {
  ge-0/0/1 {
    unit 0 {
      family inet {
        address 10.50.50.1/24;
      }
      family inet6 {
        address 2001::1/64;
      }
    }
  }
  ge-0/0/2 {
    unit 0 {
      family inet {
        address 172.100.100.100/24;
      }
    }
  }
  lo0 {
    unit 0 {
      family inet {
        address 192.168.1.1/32;
      }
    }
  }
}
protocols {
  ospf3 {
    realm ipv4-unicast {
      area 0.0.0.0 {
        interface ge-0/0/2.0 {
          passive:
        }
      }
    }
    area 0.0.0.0 {
      interface ge-0/0/1.0;
    }
  }
}

[edit]
user@Router-2# show
. . .
interfaces {
  ge-0/0/1 {
    unit 0 {
      family inet {
        address 10.50.50.2/32;
      }
      family inet6 {
        address 2001::2/64;
      }
    }
  }
  ge-0/0/2 {
    unit 0 {
      family inet {
        address 172.101.101.100/24;
      }
    }
  }
}
```



There is a functioning OSPFv3 neighborship between Router-1 and Router-2 over the ge-0/0/1 link. However, the 172.100.100.0/24 and 172.101.101.100/24 routes are not being shared through OSPFv3.

Referring to the configuration shown in the exhibit, which two actions must you take to solve the problem? (Choose two.)

- A. Add interface ge-0/0/1 under the IPv4 unicast realm for both routers.
- B. Add the IPv6 family protocol under ge-0/0/2 for both routers.
- C. Add the lo0 interface under OSPFv3 for both routers.
- D. Add interface ge-0/0/2 under OSPFv3 for both routers.

Correct Answer: AB

---

### QUESTION 3

You are currently using VLAN IDs 2 through 300 within your Layer 2 domain and you need to configure VSTP to prevent loops. You must ensure that all VLANs are loop free.

In this scenario, which statement is correct?

- A. You must ensure that the VLANs are balanced between two different root bridges.
- B. You must enable RSTP to account for all VLANs.
- C. You must ensure that the bridge priority is set to the lowest value on all switches in the Layer 2 domain.
- D. You must enable all VLANs, 2 through 300, under the VSTP configuration.

Correct Answer: D

---

### QUESTION 4

Click the Exhibit button.



```
[edit]
uer@router# show policy-options
prefix-list known-ok-sites {
    10.10.0.0/16;
    12.233.0.0/18;
    172.16.0.0/24;
    192.168.12.0/24;
}

prefix-list known-dir-bcast-sites {
    10.2.0.0/16;
    12.233.45.0/24;
    172.16.0.3/32;
    192.168.1.0/24;
}

policy-statement prefix-list-policy {
    term 1 {
        from {
            prefix-list known-ok-sites;
        }
        then accept;
    }
    term 2 {
        from {
            prefix-list known-dir-bcast-sites;
        }
        then reject;
    }
    term 3 {
        from {
            route-filter 12.233.45.5/32 exact;
        }
        then next policy;
    }
}
```

The policy shown in the exhibit is applied as an export policy to your BGP neighborhood. Which action will be taken for route 12.233.45.5?

- A. It will be rejected by term 2.
- B. It will be accepted by term 1.



C. It will be accepted by the default policy.

D. It will be evaluated by the next policy.

Correct Answer: B

---

#### QUESTION 5

Which protocol is a multicast routing protocol?

A. OSPF

B. BGP

C. PIM

D. IS-IS

Correct Answer: C

[Latest JN0-648 Dumps](#)

[JN0-648 VCE Dumps](#)

[JN0-648 Study Guide](#)