



JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-648.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You want to view the VLANs that have been created dynamically using MVRP. Which operational mode command will display this information?

- A. show mvrp registration-state
- B. show mvrp dynamic-vlan-memberships
- C. show mvrp interface
- D. show mvrp applicant-state

Correct Answer: B

QUESTION 2

Click the Exhibit button.



```
{master:0} [edit]
user@switch# show interfaces ge-0/0/1
unit 0 {
    family ethernet-switching {
        interface-mode access:
        vlan {
            members data;
        }
    }
}

{master:0} [edit]
user@switch# show protocols lldp-med
interface ge-0/0/1;

{master:0} [edit]
user@switch# show switch-options
voip {
    interface ge-0/0/1.0 {
        vlan voice;
        forwarding-class expedited-forwarding;
    }
}

{master:0} [edit]
user@switch# show vlans
data {
    vlan-id 20;
    13-interface irb.20;
}
voice {
    vlan-id 30;
}
```

You have a workstation and a VoIP phone connected to port ge-0/0/1 on an access switch. Referring to the exhibit, which two statements are true? (Choose two.)


- A. Frames that exit interface ge-0/0/1 on the data VLAN will be tagged.
- B. The phone will automatically be assigned a VLAN ID.
- C. Voice frames that enter interface ge-0/0/1 will be forwarded as expedited forwarding traffic.
- D. All frames that exit interface ge-0/0/1 will belong to the data VLAN.

Correct Answer: AC



QUESTION 3

Click the Exhibit button.



```
[edit interfaces]
user@AS-1# show
ge-0/0/1 {
  unit 0 {
    family ethernet-switching {
      interface-mode trunk;
      vlan {
        members-vlan-pri
      }
    }
  }
}
ge-0/0/6 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members hr;
      }
    }
  }
}
ge-0/0/7 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members executive;
      }
    }
  }
}
[edit vlans]
user@AS-1# show vlan
vlan-pri {
  vlan-id 100;
  community-vlans [ executive hr ];
}
executive {
  vlan-id 20;
  private-vlan community;
}
hr {
  vlan-id 10;
  private-vlan community;
}
```

```
[edit interfaces]
user@AS-2# show
ge-0/0/1 {
  unit 0 {
    family ethernet-switching {
      interface-mode trunk;
      vlan {
        members-vlan-pri
      }
    }
  }
}
ge-0/0/6 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members hr;
      }
    }
  }
}
ge-0/0/7 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members executive;
      }
    }
  }
}
ge-0/0/10 {
  unit 0 {
    family ethernet-switching {
      interface-mode trunk;
      vlan {
        members vlan-pri;
      }
    }
  }
}
[edit vlans]
user@AS-2# show vlan
vlan-pri {
  vlan-id 100;
  community-vlans [ executive hr ];
}
executive {
  vlan-id 20;
  private-vlan community;
}
hr {
  vlan-id 10;
  private-vlan community;
}
```



You recently implemented the configuration shown in the exhibit. After committing these changes, the community devices connected to AS-1 are not able to communicate with the appropriate community devices connected to AS-2.

What must be done to allow these community devices to communicate?

- A. You must configure an isolation VLAN ID under the vlan-pri VLAN on the AS-2 switch.
- B. You must configure the ge-0/0/10 interface on AS-1 as the inter-switch link
- C. You must configure the ge-0/0/1 interface on both switches as the inter-switch links.
- D. You must configure an isolation VLAN ID under the vlan-pri VLAN on both switches.

Correct Answer: C

QUESTION 4

Which three types of ports are used for Junos Fusion Enterprise? (Choose three.)

- A. extended port
- B. authenticated port
- C. cascade port
- D. uplink port
- E. designated port

Correct Answer: ACD

QUESTION 5

Which protocol is a multicast routing protocol?

- A. OSPF
- B. BGP
- C. PIM
- D. IS-IS

Correct Answer: C



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/jn0-648.html>

2024 Latest pass4itsure JN0-648 PDF and VCE dumps Download

[JN0-648 PDF Dumps](#)

[JN0-648 VCE Dumps](#)

[JN0-648 Study Guide](#)