

JN0-661^{Q&As}

Service Provider Routing and Switching

Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Your customer requires a Layer 2 VPN service (draft-kompella-mpls-l2vpn). You are asked to describe the operational requirements on the PE router supporting this service.

Which two statements are true in this scenario? (Choose two.)

- A. The ingress PE router associates multiple MPLS labels with the corresponding traffic flows.
- B. The ingress PE router for a traffic flow maintains the data-link connection identifier
- C. The ingress PE router for a traffic flow removes the data-link connection identifier.
- D. The ingress PE router associates a single MPLS label with the corresponding traffic flows.

Correct Answer: AC

QUESTION 2

Click the Exhibit button.



```
user@R1# show interfaces lo0
unit 0 {
family inet {
address 10.220.1.1/32;
family iso {
address 49.0001.0010.0220.0101.00;
}
{edit protocols isis}
user@R1# show
interface ge-1/0/1.0 {
level 2 disable;
}
interface ge-1/1/0.0 {
level 1 disable;
interface ge-1/1/1.0 {
level 2 disable;
}
interface lo0.0;
user@R7# show interfaces 100
unit 0 {
family inet {
address 10.220.1,
3
family iso {
address 49.0002.0010.0220.0107.00;
{edit protocols isis]
user@R7 show
interface ge-1/0/1.0 {
level 2 disable;
interface lo0.0
                                        1
```

You are trying to establish an ISIS Level 1 adjacency over ge-1/0/1 between R1 and R7 without impacting the other IS-IS adjacencies on R1. Which configuration change would satisfy this requirement?

A. Disable Level 2 globally on R7.

B. Change the area on R7 to match R1.



- C. Disable Level 2 globally on R1.
- D. Change the area on R1 to match R7.

Correct Answer: B

QUESTION 3

Click the Exhibit button Referring to the exhibit, you have configured an L3VPN that connects Site-1 and Site-2 together, but the BGP routes are not showing up on the PE routers. The topology in this scenario is shown below



[edit] user@PE-1# show protocols rsvp { interface all; mpls { label-switched-path p1 { from 1.1.1.1; to 4.4.4.4; no-cspf; interface all; bgp { group Int { type internal; local-address 1.1.1.1; family inet { unicast; family inet-vpn { unicast; } neignbor 4.4.4.4; ospf { area 0.0.0.0 { interface ge-0/0/2.0; interface Io0.0; [edit] user@PE-1# show routing-instances CE-1 user (g/PC-1# show routing-instal instance-type vrf, interface ge-0/0/1.0; route-destinguisher 65305:395; vrf-target target 65412:100; routing-options { static { route 100.100.100.0/24 next-hop 192.168.1.100; 1 [edit] user@P-1# show protocols rsvp { interface all; } mpls { interface all; } ospf { 5 area 0.0.0.0 { interface ge-0/0/1.0; interface ge-0/0/2.0; interface lo0,0; 3 [edit] user@PE-2# show protocols rsvp { interface al mpls { label-switched-path p2 { from 4.4.4.4; to 1.1.1.1; no-cspf; interface all; bgp { group Int { type internal; local address 4.4.4.4;



Pass4itSure.com

family inet { unicast; family inet-vpn { unicast; neighbor 2.2.2.2; neighbor 3.3.3.3; neighbor 1.1.1.1; Sure ospf { area 0.0.0.0 { interface ge-0/0/2.0; interface lo0.0; [edit] user@PE2# show routing-instances CE-2 instance-type vit interfcae ge-0/0/1.0; route-distinguisher 65305:395; vrf-target target:645120:100; routing-options { static route 200.200.200.0/24 next-hop 10.1.1.100; ł 3

Site-1>PE-1>P-2>PE-2> Site-2

Which action should you take to allow communication between Site-1 and Site-2?

A. Enable LDP for all interfaces on all routes,

B. Change the route distinguisher to be different on PE-1 and PE-2

C. Change the route target to match on PE-1 and PE-2

D. Configure BGP on P-1 and P-2.

Correct Answer: A

QUESTION 4

Which two statements describe the benefits of using point-to-multipoint LSPs in an environment with MVPNs? (Choose two.)



- A. Performance levels within the LSPs can be guaranteed, regardless of the signaling protocol used.
- B. A service provider network does not need to run PIM to support multicast routing.
- C. Data replication can be done by downstream LSRs and not just by the ingress PE router.
- D. Multicast traffic can be protected, regardless of the signaling protocol used.

Correct Answer: BC

QUESTION 5

You are asked to mask your Junos MPLS core network from users that use traceroute. You have configuration privileges only on the ingress device. Which feature will accomplish this task?

- A. Egress-protection
- B. No-propagate-ttl
- C. No-record
- D. No-decrement-ttl
- Correct Answer: D

Latest JN0-661 Dumps

JN0-661 PDF Dumps

JN0-661 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.