



JN0-662^{Q&As}

Service Provider Routing and Switching - Professional (JNCIP-SP)

Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-662.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```

          ge-0/0/1          ge-0/0/2
R1-----R2-----R3

[edit]
user@R1# show interfaces
ge-0/0/1 {
  unit 0 {
    family iso;
    family inet {
      address 192.168.6.2/30;
    }
  }
}
lo0 {
  unit 0 {
    family inet;
    family iso {
      address 49.0001.0000.0000.0102.00;
    }
  }
}
}
```



```
[edit]
user@R2# show interfaces
ge-0/0/1 {
  unit 0 {
    family inet {
      address 192.168.6.1/30;
    }
    family iso {
      address 49.0002.0000.0000.0101.00;
    }
  }
}
ge-0/0/2 {
  unit 0 {
    family iso;
    family inet {
      address 192.168.4.1/24;
    }
  }
}
lo0 {
  unit 0 {
    family inet;
    family iso {
      address 49.0001.0000.0000.0101.00;
    }
  }
}
```



```
[edit]
user@R3# show interfaces
ge-0/0/2 {
  unit 0 {
    family iso;
    family inet {
      address 192.168.4.2/24;
    }
  }
}
lo0 {
  unit 0 {
    family inet;
    family iso {
      address 49.0001.0000.0000.0103.00;
    }
  }
}
```

Routers R1, R2, and R3 have set protocols isis interface all configured and no other set protocols isis configuration.

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The R2-R3 link will form a Level 1 and Level 2 adjacency.
- B. The R1-to-R2 link will only form a Level 2 adjacency.
- C. The R1-to-R2 link will form a Level 1 and Level 2 adjacency.
- D. The R2-R3 link will only form a Level 1 adjacency.

Correct Answer: AC

QUESTION 2

Which transport mechanism is required for Layer 3 VPNs?

- A. GRE
- B. VXLAN
- C. IPsec
- D. MPLS

Correct Answer: D

QUESTION 3



The network team will be performing maintenance on R3. The maintenance window requires a reboot of router R3. You want to gracefully move traffic away from R3 until after the reboot. In this scenario, how would you solve this problem?

- A. Configure the set protocols isis interface all level 1 hold-time 300 parameter, then reboot the router.
- B. Configure the set protocols isis overload parameter, then commit the configuration.
- C. Configure the set protocols isis spf-options delay 300 parameter, then reboot the router.
- D. Configure the set protocols isis interface all level 1 hello-interval 300 parameter, then reboot the router.

Correct Answer: B

QUESTION 4

Which message type initiates the BGP session?

- A. update
- B. open
- C. keepalive
- D. notification

Correct Answer: B

QUESTION 5

How does Juniper Networks use selective BGP route damping to help stabilize the network?

- A. The damping decay half-life holds down peer links for a defined measure of time to prevent route table reconvergence.
- B. The damping max-suppress timer is set to the lowest possible value by default.
- C. The figure-of-merit value measures route stability by advertisement and withdrawal.
- D. Aggressive IGP hold timers prevent the routes from entering and exiting the BGP route selection process.

Correct Answer: C

[JN0-662 PDF Dumps](#)

[JN0-662 Practice Test](#)

[JN0-662 Brindumps](#)