JN0-663 Q&As

Service Provider Routing and Switching, Professional (JNCIP-SP)

Pass Juniper JN0-663 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-663.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Which two types of LSAs have an area scope? (Choose two.)

A. Type 2

B. Type 5

C. Type 11

D. Type 7

Correct Answer: AC

QUESTION 2



You have a Layer 3 VPN established between PE-1 and PE-2 to allow communication between CE-1 and CE-2. You want to establish communication between CE-1 and CE-2.

Referring to the exhibit, which statement is correct?

A. You will need a BGP export policy on PE-1 to redistribute the OSPF routes, learned from PE-2, to the CE1 BGP neighbor.

B. You will need a VRF import policy on PE-2 to advertise the OSPF routes, learned from CE-2, through the Layer 3 VPN.

C. You will need a VRF export policy on PE-2 to redistribute the OSPF routes, learned from CE-2, through the Layer 3 VPN.

D. You will need a VRF import policy on PE-1 to receive the OSPF routes, learned from PE-2, through the Layer 3

VPN.

Correct Answer: C

QUESTION 3

```
user@host# show protocols ospf
area 0.0.0.6 {
    nssa {
        default-lsa {
            default-metric 10;
            metric-type 1;
            type-7;
        }
no-summaries;
area-range 192.168.16.0/20;
    }
}
```

Referring to the ABR configuration shown in the exhibit, which three statements are correct? (Choose three.)

A. The ABR advertises a default route to the NSSA using a Type 7 LSA.

B. The ABR advertises a single Type 3 summary LSA to the backbone area for all Type 1 and Type 2 LSAs in the 192.168.16.0/20 range.

C. The ABR advertises a Type 5 external LSA to the backbone area for each Type 7 LSA in the NSSA.

D. The ABR does not summarize any routes within the 192.168.16.0/20 range.

E. The ABR advertises a single Type 5 external LSA to the backbone area for all Type 7 LSAs in the NSSA.

Correct Answer: ABC

QUESTION 4

Which two statements about virtual links are correct? (Choose two.)

A. Virtual links are point-to-point.

B. Virtual links are used for control plane traffic.

C. Virtual links are excluded from SPF calculations.

D. Virtual links are bidirectional.

Correct Answer: AB

QUESTION 5



Referring to the exhibit, you want to reduce the CPU processing load on PE 2 by preventing the receipt of routes belonging to Customer B.

In this scenario, which layer 3 VPN scaling mechanism provides this functionality?

A. route refresh

B. route origin

C. route reflection

D. route target filtering

Correct Answer: D

JN0-663 Study Guide JN0-663 Exam Questions JN0-663 Braindumps