



JN0-681^{Q&As}

New Data Center, Professional

Pass Juniper JN0-681 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-681.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is the purpose of the command shown in the exhibit?

```
[edit protocols 12-learning]
user@switch# show
disable-vxlan-multicast-transit {
    vxlan-multicast-group 239.0.0.1;
}
```

- A. to stop the transmission of transit multicast traffic when there are no interested receivers attached to a remote VTEP.
- B. to disallow IGMP requests for the group 239.0.0.1 from hosts attached to the local VTEP.
- C. to disable the multicast group 239.0.0.1 across the entire VXLAN.
- D. to stop the reception of transit multicast traffic when there are no interested receivers attached to the local VTEP.

Correct Answer: A

QUESTION 2

Which two statements describe an IP fabric? (Choose two.)

- A. Open standards allow for vendor interoperability.
- B. Each leaf should have a connection to each spine.
- C. xSTP protocols should be used to prevent loops.
- D. Traffic should always follow a single path.

Correct Answer: BC

QUESTION 3

Which EVPN route type would be used in a DCI situation in which the IP subnets between data centers are completely unique?

- A. Type 2
- B. Type 3
- C. Type 4
- D. Type 5

Correct Answer: D



QUESTION 4

What are three functions supported by the Contrail Command user interface? (Choose three.)

- A. enabling VM-to-BMS bridging
- B. onboarding of an IP Fabric
- C. configuring management domains
- D. integrated syslog collector
- E. creating virtual networks

Correct Answer: CDE

QUESTION 5

Which two statements define the use of route targets and route distinguishers in an EVPN? (Choose two.)

- A. Route targets ensure that routes from different clients remain unique within the data center domain.
- B. Route targets identify the VRF into which the route should be placed.
- C. Route distinguishers ensure that routes from different clients remain unique within the data center domain.
- D. Route distinguishers identify the VRF into which the route should be placed.

Correct Answer: BC

[Latest JN0-681 Dumps](#)

[JN0-681 VCE Dumps](#)

[JN0-681 Braindumps](#)