



JN0-682^{Q&As}

Data Center Professional (JNCIP-DC)

Pass Juniper JN0-682 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-682.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are correct about a spine and leaf-based IP fabric? (Choose two.)

- A. Traffic is diverted within the fabric when a device or link fails.
- B. There is no need for redundancy at the server level.
- C. Leaf switches broadcast frames to all other leaf devices.
- D. Clos networks demonstrate good scaling features.

Correct Answer: AD

QUESTION 2


Which EVPN route type would be used in DCI situation in which the IP subnets between data center are complete unique?

- A. Type 4
- B. Type 3
- C. Type 2
- D. Type 5

Correct Answer: D

QUESTION 3

You are logged in to Leaf 1. When examining the routing table, you notice that you have no routes from Leaf 2.



Referring to the exhibit, which two commands would you use to troubleshoot the problem? (Choose two.)

- A. From Leaf 2, issue the show route advertising-protocol bgp 172.16.1.2 command.
- B. From Spine 1, issue the show route advertising-protocol bgp 172.16.1.1 command.
- C. From Spine 1, issue the show route advertising-protocol bgp 172.16.1.2 command.
- D. From Leaf 1, issue the show route receive-protocol bgp 172.16.1.1 command.

Correct Answer: CD

QUESTION 4

Referring to the exhibit,

Exhibit

```

(master:0)
user@leaf1> show mac-vrf forwarding vxlan-tunnel-end-point remote
Logical System Name      Id  SVTEP-IP      IFL  L3-Idx  SVTEP-Mode  ELP-SVTEP-IP
<default>                0  192.168.100.11  lo0.0  0
SVTEP-IP                L2-RTT      IFL-Idx  Interface  NH-Id  SVTEP-Mode  ELP-IP
Flags
192.168.100.11          mac-vfr310410-vlan-aware 575      vtep.32769  1767  HWVE
VNIID
50310                   0.0.0.0
50410                   0.0.0.0

```



which two statements are correct? (Choose two.)

- A. There are two tunnels to the remote endpoint.
- B. The irb. 0 interface is the remote tunnel endpoint interface.
- C. The source tunnel IP address is 192.168.100.11.
- D. There is one tunnel to the remote endpoint.

Correct Answer: CD

QUESTION 5

You are building an IP fabric underlay for your data center. You are asked to ensure that the two spine devices are in the same AS (65000) while the six leaf devices are in a different AS (65512). In this scenario, which two statements are correct by default? (Choose two.)

- A. All BGP routes advertised by a leaf device will be accepted on the spine devices.
- B. A leaf device will accept all BGP routes received from the spine that were originated from another leaf device.
- C. All BGP routes advertised by a leaf device will be rejected on the spine devices.
- D. A leaf device will reject all BGP routes received from the spine that were originated from another leaf device.

Correct Answer: AB

[JN0-682 VCE Dumps](#)

[JN0-682 Exam Questions](#)

[JN0-682 Braindumps](#)