



LOOKML-DEVELOPER^{Q&As}

LookML Developer

Pass Google LOOKML-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/lookml-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

After validating LookML code, a developer receives the following error message:

“Unknown or Inaccessible Field users.name”

What is causing this error?

- A. There is a missing join.
- B. The field is set to “hidden”.
- C. The join relationship is incorrect.
- D. The field uses incorrect SQL syntax.

Correct Answer: A

QUESTION 2

A developer creates a derived table and wants to add persistence to it. Because the table is not used on a frequent basis, the developer wants the table to be cached for 12 hours, but only when a user has queried it.

Which persistence parameter should be added to the derived table's definition in order to satisfy this use case?

- A. `persist_with: "12 hours"`
- B. `datagroup: 12_hours { max_cache_age: "12 hours" }`
- C. `persist_for: "12 hours"`
- D. `sql_trigger_value: SELECT FLOOR{UNIX_TIMESTAMP{} / {6*60*60}} ;;`

Correct Answer: A

QUESTION 3

A developer wants to create a measure that shows the item count broken out by category. When a second, more granular dimension is added to the same query, the count broken out by category should still

represent the original aggregation and be duplicated on each line. The business wants this “count” in

“category” available in the Explore section without any additional work done by the end user. For example:

The Count column represents the count for each combination of Category and Item.

The Count in Category column represents the count for each Category only.



Category	Item	Count	Count in Category
Fruit	Watermelon	3	10
Fruit	Apple	4	10
Fruit	Orange	3	10
Clothes	Pants	2	5
Clothes	Shirt	3	5

How can the developer address this need with a LookML object?

- A. Create a measure filtered on Category, and make the filter value controlled by a parameter.
- B. Calculate the measure using a derived table, and then join that derived table back into the Explore.
- C. Create a measure with type: `sum_over_dimension`, and make the dimension value controlled by a parameter.
- D. Calculate the overall count using table calculations in the Explore.

Correct Answer: B

QUESTION 4

A user needs to create a report that shows a count of all orders and of orders over \$100. Which solution should the developer implement to meet these requirements?

- A. An `always_filter` parameter
- B. A front-end filter in the Explore
- C. A `sql_always_where` parameter
- D. A filtered measure

Correct Answer: B

QUESTION 5

A LookML developer is creating a new view with 20 dimensions in Development Mode using the Create View from Table functionality. Now users want the developer to add only four dimensions from this new view to an existing Explore.

What can the developer add to the Explore to limit the number of fields from the view that are accessible to the user in the Explore?

- A. Set definition
- B. Join condition
- C. Fields parameter



D. Hidden parameter

Correct Answer: B

[LOOKML-DEVELOPER
PDF Dumps](#)

[LOOKML-DEVELOPER
VCE Dumps](#)

[LOOKML-DEVELOPER
Braindumps](#)