



# LOOKML-DEVELOPER<sup>Q&As</sup>

LookML Developer

## Pass Google LOOKML-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/lookml-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Google  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Users must be able to click on the Country field in their Explore and be redirected to another Explore that shows all countries compared.

Which parameter should be added to the country dimension to create a connection to this other associated Explore?

- A. url\_encode
- B. drill\_fields
- C. tags
- D. link

Correct Answer: D

---

### QUESTION 2

A LookML Developer is working with denormalized tables and needs to create a measure adding up the Order Shipping column in the table below:



Order Item ID	Order ID	Order Shipping
1	1	10.00
2	1	10.00
3	2	20.00
4	2	20.00
5	2	20.00



- ☐ A.
- ```
measure: total_shipping {  
  type: sum  
  sql: ${order_shipping} ;;  
}
```
- ☐ B.
- ```
measure: total_shipping {  
  type: sum_distinct  
  sql: ${order_shipping} ;;  
}
```
- ☐ C.
- ```
measure: total_shipping {  
  type: sum_distinct  
  sql_distinct_key: ${order_id} ;;  
  sql: ${order_shipping} ;;  
}
```
- ☐ D.
- ```
measure: total_shipping {  
  type: sum  
  sql_distinct_key: ${order_id} ;;  
  sql: ${order_shipping} ;;  
}
```

craw334052

A. Option A

B. Option B

C. Option C

D. Option D



Correct Answer: A

---

### QUESTION 3

Users report that every time they change the filter on their Explore, the filters take a very long time to populate.

How can the developer improve the filtering experience with this Explore?

- A. Limit the filter suggestions using the suggestions parameter.
- B. Add an always\_filter parameter to restrict the filter suggestions.
- C. Use an access\_filter parameter to automatically apply filters.
- D. Add persistence to the base view of the Explore.

Correct Answer: A

---

### QUESTION 4

After running the Content Validator, a developer can see the error "Unknown field". Which two changes could cause this issue? (Choose two.)

- A. View name was changed from users to customers.
- B. Field type was changed from number to string.
- C. Model name was changed from e\_commerce to reporting.
- D. Explore label was changed from users to customers.
- E. Field name was changed from id to user\_id.

Correct Answer: BE

---

### QUESTION 5

A developer wants to calculate the ratio of total sales from the orders view and total users from the users view.

Which two methods can be used to create a measure that meets these requirements? (Choose two.)



A.

```
view: users{

  measure: total_users{

    type: count

  }

  measure: total_sales_per_user {

    type: sum

    sql: 1.0*${orders.total_sales}/${total_users};;

    value_format_name: usd

  }
}

view: orders{

  dimension: sale_price{

    type: number

    sql: ${TABLE}.sale_price;;

  }

  measure: total_sales{

    type: sum

    sql: ${sale_price};;

  }
}
```

Page 60



B.

```
view: users{

  measure: total_users{

    type: count

  }

  measure: total_sales_per_user {

    type: number

    sql: 1.0*${orders.total_sales}/${total_users};;

    value_format_name: usd

  }
}

view: orders{

  dimension: sale_price{

    type: number

    sql: ${TABLE}.sale_price;;

  }

  measure: total_sales{

    type: sum

    sql: ${sale_price};;

  }
}
```



QUESTION 214

C.

```
view: users{

  measure: total_users{

    type: count

  }

}

view: orders{

  dimension: sale_price{

    type: number

    sql: ${TABLE}.sale_price;;

  }

  measure: total_sales{

    type: sum

    sql: ${sale_price};;

  }

  measure: total_sales_per_user {

    type: number

    sql: 1.0*${total_sales}/users.${total_users};;

    value_format_name: usd

  }

}
```

ANSWER: C





D.

```
view: users{

  measure: total_users{

    type: count

  }

}

view: orders{

  dimension: sale_price{

    type: number

    sql: ${TABLE}.sale_price;;

  }

  measure: total_sales{

    type: sum

    sql: ${sale_price};;

  }

  measure: total_sales_per_user {

    type: number

    sql: 1.0*${total_sales}/${users.total_users};;

    value_format_name: usd

  }

}
```



E.

```
view: users{

  measure: total_users{

    type: count

  }

  measure: total_sales_per_user {

    type: number

    sql: 1.0*${total_sales}/${total_users};;

    value_format_name: usd

  }

}

view: orders{

  dimension: sale_price{

    type: number

    sql: ${TABLE}.sale_price;;

  }

  measure: total_sales{

    type: sum

    sql: ${sale_price};;
```



A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: AC

[Latest LOOKML-DEVELOPER Dumps](#)

[LOOKML-DEVELOPER Study Guide](#)

[LOOKML-DEVELOPER Braindumps](#)