



M70-101^{Q&As}

Magento Certified Developer Exam

Pass Magento M70-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/m70-101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A native Magento EAV entity will use_____.

- A. A single table with separate columns for each data type (for instance, decimal, text, varchar, etc.)
- B. A single table with separate columns for all data types used by the entity
- C. A separate table for each data type (for instance, decimal, text, varchar, etc.)
- D. A separate table for each data type in addition to a flat data table with separate columns to store values for each data type used by the entity

Correct Answer: C

QUESTION 2

Which of the following xpaths defines the correct XML structure for informing Magento that your module has install scripts?

- A. global/resources/etc/setup//module
- B. system/database/resources//setup/module
- C. global/resources//setup/module
- D. database/action/scripts/

Correct Answer: C

QUESTION 3

Which of the following items is NOT utilized in Magento's implementation of EAV-based data models?

- A. An entity table for storing the entities' basic information
- B. One or more tables to store the entities' associated pieces of information
- C. A two-column cross-link table to associate attribute values with a corresponding entity
- D. Foreign keys on each relevant table to connect relevant pieces of information at the database level
- E. An attribute table that defines what data (and of what type) may be stored on a particular entity

Correct Answer: C



QUESTION 4

Which of the following is a true statement about how Magento loads data for an EAV-based data model?

- A. A data helper is used in order to properly load an object's attributes from the database.
- B. EAV-based data models use a different abstract resource class than other data models.
- C. The attribute values are loaded into an attribute collection object.
- D. You must always specify each of the attributes to be loaded on the model.

Correct Answer: B

QUESTION 5

Which one of the following API protocols does native Magento support?

- A. XmlRpc
- B. REST
- C. POST
- D. Open Social
- E. XQuery

Correct Answer: A

[M70-101 PDF Dumps](#)

[M70-101 Study Guide](#)

[M70-101 Exam Questions](#)