



# M70-301<sup>Q&As</sup>

Magento Front End Developer Certification Exam

**Pass EC-COUNCIL M70-301 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/m70-301.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which file contains the code that renders the grid of products for a page of the catalog?

- A. catalog/product/list.phtml
- B. catalog/product/grid.phtml
- C. catalog/category/list.phtml
- D. catalog/category/grid.phtml

Correct Answer: A

---

### QUESTION 2

You want to add CSS to an HTML page. Which HTML tag would you use?

- A. CSS
- B. Style
- C. Script
- D. styling

Correct Answer: B

---

### QUESTION 3

Given the layout XML example below, which one of the following actions will cause the title, "Some Title," to be translated by Magento?

EXAMPLE:

```
<action method="something">
    <title>Some Title</title>
    <message>Some message</message>
</action>
```



- ☐ A. Add the strings ("Some Title", "Ein Titel") to a translation CSV file.
- ☐ B. Change the XML as follows:
- ```
<action method="something" translate="title">
  <title>Some Title</title>
  <message>Some message</message>
</action>
```
- ☐ C. Change the XML as follows:
- ```
<action method="something">
  <title translate="en_US, de_DE">Some Title</title>
  <message>Some message</message>
</action>
```
- ☐ D. Change the XML as follows:
- ```
<action method="something">
  <title><en_US>Some Title</en_US><de_DE>Some Title</de_DE></title>
  <message>Some message</message>
</action>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

---

#### QUESTION 4

When assigning a template file, what is the difference between

`template=""` in a `<block>` tag  
and  
`<action method="setTemplate">` ?

- A. No difference: Both set a template for an existing block.
- B. `Template= ""` can only be used when the block is being instantiated.
- C. can only be used when the block is being instantiated.
- D. `Template=""` is wrong and doesn't work at all.

Correct Answer: B

---

#### QUESTION 5



Within a Magento instance configured to use the package name "my\_package" and the theme name "my\_theme", which file would override the default catalog search template?

- A. app/frontend/base/my\_package/my\_theme/template/catalogsearch/form.mini.phtml
- B. app/design/frontend/base/default/template/customsearch/form.mini.phtml
- C. app/design/frontend/my\_theme/my\_package/template/catalogsearch/custom.form.mini.phtml
- D. app/design/frontend/my\_package/my\_theme/template/catalogsearch/form.mini.phtml
- E. app/frontend/default/my\_theme/customsearch/form.mini.phtml

Correct Answer: D

[M70-301 PDF Dumps](#)

[M70-301 Practice Test](#)

[M70-301 Study Guide](#)