VCE & PDF
Pass4itSure.com

MB-400^{Q&As}

MB-400$^{Q\&As}$

Microsoft Power Apps + Dynamics 365 Developer

Pass Microsoft MB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/mb-400.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

DRAG DROP

You need to select the appropriate methods using the Azure Event Grid.

Which method should you use for each requirement? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or

scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Methods

Event handler
Event sources
Event subscription
Events

Answer Area

Requirement	Method
Notify the infrastructure team when a new virtual machine is created.	
Route orders over $5,000 to the credit department.	

Correct Answer:

Methods

Event sources
Events

Answer Area

Requirement	Method
Notify the infrastructure team when a new virtual machine is created.	Event handler
Route orders over $5,000 to the credit department.	Event subscription

Box 1: Event handler

Event handlers - The app or service reacting to the event.

Box 2: Event subscriptions

Event subscriptions - The endpoint or built-in mechanism to route events, sometimes to more than one handler. Subscriptions are also used by handlers to intelligently filter incoming events.

Note:

There are five concepts in Azure Event Grid that let you get going:

Events - What happened.

Event sources - Where the event took place.

Topics - The endpoint where publishers send events.

Event subscriptions - The endpoint or built-in mechanism to route events, sometimes to more than one handler. Subscriptions are also used by handlers to intelligently filter incoming events.

Event handlers - The app or service reacting to the event.

Reference:

https://docs.microsoft.com/en-us/azure/event-grid/overview

QUESTION 2

A company plans to replicate a Dynamics 365 Customer Engagement database into an Azure SQL Database instance for reporting purposes. The Data Export Service Solution has been installed.

You need to configure the Data Export service.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Enable change tracking for all entities that must be replicated to Azure SQL Database.

B. Enable auditing for all entities that must be replicated to Azure SQL Database.

C. Create an Azure SQL Database service in the same tenant as the Dynamics 365 Customer Engagement environment.

D. Set up server-based integration.

E. Create an export profile that specifies all the entities that must be replicated.

Correct Answer: ACE

A: The entities that will be added to the Export Profile must be enabled with change tracking.

E: Create an Export Profile

C: To use the Data Export Service the model-driven apps in Dynamics 365 and Azure Key Vault services must operate

under the same tenant and within the same Azure Active Directory.

Reference: https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database

QUESTION 3

A client uses a model-driven app that is deployed by using a managed solution in the production environment. The app contains only entities and UI components and has no custom code or extensions to the platform.

The client needs an exact copy of the app with a different name in the production environment.

You need to recreate this app in production without disrupting the end users.

What should you do?

A. Select the original model-driven app, select Edit, and then select Save As.

B. Create a new model-driven app. Select the Use existing solution to create the App check box, and then select the solution that contains the original app.

C. Select the managed solution and select Clone.

D. Create a new model-driven app, manually add each component, and then recreate its original functions.

E. Add the original app to a solution, export it as unmanaged, import it into a test environment and rename it, and then deploy it back into production.

Correct Answer: B

The option Use existing solution allow users to select a specific solution for this app. Users can create a whole new design from scratch by not checking check box of use existing solution.

Reference: https://www.inogic.com/blog/2019/02/create-model-driven-app-cds-environment/

QUESTION 4

DRAG DROP

A company uses Common Data Service (CDS) and manages their engineers using a model-driven app.

You create a new reusable custom component using the PowerApps component framework (PCF).

You need to package the custom component to be deployed into the model-driven app.

Which three commands should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

| npm install |

| msbuild /t:build /restore |

| npm start |

| npm run build |

| pac solution add-reference -path *<control path>* |

| pac solution init -publisher-name *<publisher>* --publisher-prefix *<prefix>* |

| pac pcf init --namespace *<namespace>* --name *<control name>* --template field |

Answer Area

Correct Answer:

Actions

| msbuild /t:build /restore |

| npm start |

| npm run build |

| pac solution init -publisher-name *<publisher>* --publisher-prefix *<prefix>* |

Answer Area

| npm install |

| pac pcf init --namespace *<namespace>* --name *<control name>* --template field |

| pac solution add-reference -path *<control path>* |

Step 1: npm install

Install Npm

Step 2: pac pcf init ..

Commands for working with Power Apps component framework. It has the following parameters:

init: Initializes the code component project. It has the following parameters

namespace: Namespace of the code component.

name: Name of the code component.

template: Field or dataset

Step 3: pac solution add-reference

Commands for working with Common Data Service solution projects. It has the following parameters:

add-References:

Sets the reference path to the component project folder by passing the path parameter.

Syntax: pac solution add-reference --path

Incorrect Answers:

pac solution init ..

Commands for working with Common Data Service solution projects. We are working with a PowerApps component framework project though.

Reference:

https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/powerapps-cli

---

QUESTION 5

HOTSPOT

A company has a model-driven app.

A custom button on a form calls a JavaScript function that validates form data fields and creates a web basket. The JavaScript function then displays a message to the user.

Users are located in the United States, which uses ISO Code 1033, and France, which uses ISO Code 1036.

Users in France report that the message displays in English.

You need to modify the RibbonDiffXml file to ensure that messages appear in the user\\'s language.

How should you complete the CommandDefinition node? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
<CommandDefinitions>
    <CommandDefinition Id="GenerateBasket.Command">
        <Actions>
            <JavaScriptFunction FunctionName=" generatebasket"
Library="$webresource:mb_/scripts/basket.js">
            <  [▼]  Value="  [▼]  "/>
```

CrmParameter		1033
IntParameter		1036
StringParameter		OrgLcid
		UserLcid

```
            </JavaScriptFunction>
        </Actions>
    </CommandDefinition>
</CommandDefinitions>
```

Correct Answer:

Answer Area

```
<CommandDefinitions>
    <CommandDefinition Id="GenerateBasket.Command">
        <Actions>
            <JavaScriptFunction FunctionName=" generatebasket"
Library="$webresource:mb_/scripts/basket.js">
            <  [▼]  Value="  [▼]  "/>
```

CrmParameter		1033
IntParameter		1036
StringParameter		OrgLcid
		UserLcid

```
            </JavaScriptFunction>
        </Actions>
    </CommandDefinition>
</CommandDefinitions>
```

Box 1: CrmParameter

Ribbon actions are defined in the element of a element. There are several ways to pass contextual Dynamics 365 for Customer Engagement information as query string parameters to a URL by using the

ribbon.

You can use a element together with a element.

Box 2: UserLcid

Userlcid User Language Code: Language code identifier that is used by the current user.

Reference:

https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/customize-dev/pass-parameters-url-by-using-ribbon

[MB-400 PDF Dumps](link)   [MB-400 Practice Test](link)   [MB-400 Study Guide](link)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: