



# MB-400<sup>Q&As</sup>

Microsoft Power Apps + Dynamics 365 Developer

**Pass Microsoft MB-400 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mb-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

### HOTSPOT

A company imports data from files.

The following code is created to import the files. (Line numbers are included for reference only.)

```
1. var transactionrequest = new ExecuteTransactionRequest()
2. {
3.     Requests = new OrganizationRequestCollection(),
4.     ReturnResponses = true
5. };
6. ...
7. foreach (DataRow dr in Rows)
8. {
9.     ...
10. var contact = new Entity("contact");
11. contact["firstname"] = firstname;
12. contact["lastname"] = lastname;
13. var createRequest = new CreateRequest() {Target = contact};
14. transactionrequest.Requests.Add(createRequest);
15. }
16. try
17. {
18. var response = (ExecuteTransactionResponse)crmSvc.Execute(transactionrequest);
19. foreach (var responseItem in response.Responses)
20. {
21. var createResponse = (CreateResponse)responseItem;
22. Console.WriteLine("Created: {0}", createResponse.id.ToString());
23. }
24. }
25. catch (FaultException<Microsoft.Xrm.Sdk.OrganizationServiceFault> ex)
26. {
27. Console.WriteLine("Error: {0}", ((ExecuteTransactionFault)(ex.Detail)).FaultedRequestIndex + 1, ex.Detail.Message);
28. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:



### Answer Area

Statements	Yes	No
If an error occurs when one of the contacts is created, processing will continue, and the remainder of the contacts will be created.	<input type="radio"/>	<input type="radio"/>
,ContinueOnError = true can be added at line 5.	<input type="radio"/>	<input type="radio"/>
The order of requests is performed in the sequence added to transactionrequest.	<input type="radio"/>	<input type="radio"/>
Lines 19-23 are required for the contacts to be created.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

### Answer Area

Statements	Yes	No
If an error occurs when one of the contacts is created, processing will continue, and the remainder of the contacts will be created.	<input type="radio"/>	<input checked="" type="radio"/>
,ContinueOnError = true can be added at line 5.	<input checked="" type="radio"/>	<input type="radio"/>
The order of requests is performed in the sequence added to transactionrequest.	<input type="radio"/>	<input checked="" type="radio"/>
Lines 19-23 are required for the contacts to be created.	<input type="radio"/>	<input checked="" type="radio"/>

Box 1: No

Need to set ContinueOnError=True. ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue

processing the next request.



Box 2: No

ContinueOnError = true must be added before Requests = new OrganizationRequestCollection() on line 3.

Example:

```
// Create an ExecuteMultipleRequest object.
requestWithResults = new ExecuteMultipleRequest()
{
    // Assign settings that define execution behavior: continue on error, return responses.
    Settings = new ExecuteMultipleSettings()
    {
        ContinueOnError = false,
        ReturnResponses = true
    },
    // Create an empty organization request collection.
    Requests = new OrganizationRequestCollection()
};
```

Box 3: Yes

You can use the ExecuteMultipleRequest message to support higher throughput bulk message passing scenarios in Common Data Service. ExecuteMultipleRequest accepts an input collection of message Requests, executes each of the

message requests in the order they appear in the input collection, and optionally returns a collection of Responses containing each message's response or the error that occurred.

Box 4: No

This is just for displaying the result.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-requests>

---

## QUESTION 2

An organization uses Dynamics 365 Customer Engagement. The organization has accounting and customer service departments.

You must restrict users in customer service from being able to change the value of the balance field on the Contact records. The accounting team must be the only team able to edit this field.



You need to create the appropriate solution without any customizations.

What should you do?

- A. Create an accounting form and role and make the balance field read-only.
- B. Enable field security for the balance field and allow the customer service team to read and update it.
- C. Create a customer service form and role and make the balance field read-only.
- D. Enable field security for the balance field and allow the accounting team to read and update it.

Correct Answer: D

Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

1.  
Enable field security on one or more fields for a given entity.
2.  
Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

Note: Record-level permissions are granted at the entity level, but you may have certain fields associated with an entity that contain data that is more sensitive than the other fields. For these situations, you use field-level security to control access to specific fields.

Reference: <https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

---

### QUESTION 3

#### HOTSPOT

A company has a model-driven app that captures applications from prospective students.

You are asked to create a new re-usable custom component using the PowerApps component framework (PCF).

The custom component must allow entry of a date of birth and validate that the applicant is not a minor.

You create the class `AdultDatePicker` in the TypeScript file `Index.ts` and the style sheet `DatePicker.css`.

You need to define the component to be available only for relevant fields and its properties when used in a form.

How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



### Answer Area

```
<?xml version="1.0" encoding="utf-8"?>
<manifest>
  <control namespace="delegate" constructor=
    version="1.0.0" display-name-key="Date Picker" description-key="Date of
    Birth Date Picker that validates if a minor" control-type="standard">
    <property name="value" display-name-key="Value" description-
    key="Value" of type=
      required="true" />
    <resources>
      <code path="Index.ts" order="1" />
      <css path="css/DatePicker.css" order="1" />
    </resources>
  </control>
</manifest>
```

UI elements shown in the image:

- A dropdown menu for the `constructor` property with options: Index.ts, DatePicker.css, AdultDatepicker.
- A dropdown menu for the `of type` property with options: Enum, DateandTime,DateandTime, DateandTime,DateOnly.
- A dropdown menu for the `usage` property with options: bound, input.

Correct Answer:



### Answer Area

```
<?xml version="1.0" encoding="utf-8"?>
<manifest>
  <control namespace="delegate" constructor=
    version="1.0.0" display-name-key="Date Picker" description-key="Date of
    Birth Date Picker that validates if a minor" control-type="standard">
    <property name="value" display-name-key="Value" description-
    key="Value" of type=
      required="true" />
    <resources>
      <code path="Index.ts" order="1" />
      <css path="css/DatePicker.css" order="1" />
    </resources>
  </control>
</manifest>
```

Index.ts  
DatePicker.css  
AdultDatepicker

Enum  
DateandTime, DateandTime  
DateandTime, DateOnly

bound  
input

Box 1: AdultDatepicker

Specify the implemented class.

Box 2: DateandTime, DateOnly

The custom component must allow entry of a date of birth and validate that the applicant is not a minor.

DateOnly is enough.

Box 3: input

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/implementing-controls-using-typescript>

### QUESTION 4

A company needs to illustrate the relationships of the entities in Dynamics 365 Customer Engagement.

You need to select the appropriate tool to show this graphic.

Which tool should you select?



- A. Security model
- B. Metadata diagram
- C. Power BI
- D. Web services

Correct Answer: B

Visual representation of metadata can be very useful, especially when you are trying to describe the relationship between entities in the system. You can use the Metadata Diagram sample code provided for Dynamics 365 Customer Engagement (on-premises) to generate the entity relationship diagrams. You can create a simple diagram that shows a relationship for just one entity, or a complex diagram that includes dozens of related entities, including custom and system entities.

Reference: <https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/use-metadata-generate-entity-diagrams>

## QUESTION 5

### HOTSPOT

You have a model-driven app that uses the Common Data Service (CDS). You create three custom entities that are in many-to-one parental relationships with the Account entity.

You run a real-time workflow that assigns an account you own to another user. You receive the error message as shown in the Error Message exhibit. (Click the Error Message tab.)

Summary Details Related

ACCOUNT INFORMATION

Account Name *	
Phone	
Fax	
Website	
Parent Account	
Ticker Symbol --	

**Business Process Error**

Principal user (Id=344d74b8-07b7-e911-a9c2-002248008742, type=8, roleCount=1, privilegeCount=405, accessMode=0, is missing prvReadcreb4\_Building privilege (Id=e0c48ee2-3cbf-480b-9d95-f2ef45dfce36) on OTC=10013. context.Caller=da8c31ad-d028-41c6-a926-f13b6e70028e

OK

You check the security roles for the user as shown in the Manage User Roles exhibit. (Click the Manage User Roles tab.). You also check the privileges for that role as shown in the Common Data Service User Security Role exhibit. (Click the Security Role tab.)





## Manage User Roles ✕

What roles would you like to apply to the 1 User you have selected?

Role Name	Business Unit
<input checked="" type="checkbox"/> Common Data Service User	org3f9b041e
<input type="checkbox"/> Delegate	org3f9b041e
<input type="checkbox"/> Environment Maker	org3f9b041e
<input type="checkbox"/> Knowledge Manager	org3f9b041e
<input type="checkbox"/> System Administrator	org3f9b041e
<input type="checkbox"/> System Customizer	org3f9b041e

OK

Cancel

Details	Core Records	Service	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities
---------	--------------	---------	---------------------	---------------	------------------	------------------------	-----------------

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account								

Details	Core Records	Service	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities
---------	--------------	---------	---------------------	---------------	------------------	------------------------	-----------------

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Asset								
Building								
Job								

You need to prevent the error from recurring.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:



### Answer Area

Statements	Yes	No
Changing the <b>Append To</b> privilege on the Account entity to <b>Organization</b> prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the Environment Maker role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Adding the System Customizer role to the user prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>
Setting all the privileges for the Building entity to <b>User</b> prevents the error from recurring.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

### Answer Area

Statements	Yes	No
Changing the <b>Append To</b> privilege on the Account entity to <b>Organization</b> prevents the error from recurring.	<input type="radio"/>	<input checked="" type="radio"/>
Adding the Environment Maker role to the user prevents the error from recurring.	<input type="radio"/>	<input checked="" type="radio"/>
Adding the System Customizer role to the user prevents the error from recurring.	<input checked="" type="radio"/>	<input type="radio"/>
Setting all the privileges for the Building entity to <b>User</b> prevents the error from recurring.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

There is a read error.

Box 2: No

Note: The Environment Maker role can create resources within an environment including apps, connections, custom connectors, gateways, and flows using Power Automate.



Box 3: Yes

The System Customizer role is similar to the System Administrator role which enables non-system administrators to customize Dynamics 365. A Customizer is a user who customizes entities, attributes and relationships.

Box 4: Yes

[MB-400 PDF Dumps](#)

[MB-400 VCE Dumps](#)

[MB-400 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.