



MB6-704^{Q&As}

Microsoft Dynamics AX 2012 R3 CU8 Development Introduction

Pass Microsoft MB6-704 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mb6-704.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You need to set the permissions of an action menu item. Which property should you modify?

- A. Web Secure Transaction
- B. Needed Access Level
- C. Configuration Key
- D. Linked Permission Type

Correct Answer: D

Property: `LinkedPermissionType`

Specifies the type of the object pointed to by the `LinkedPermissionObject` property.

Property: `LinkedPermissionObject`

Specifies another object (for example, a form or report) whose permissions are to be applied to this menu item. Typically used with Action menu items.

Incorrect:

Not A: `WebSecureTransaction`

Select whether the menu item requires secure transactions (SSL). Web menu items only.

Not B: Property: `NeededAccessLevel`

Define the minimum access required if the menu item is to appear on a menu or a button. This property is used to set access to the menu items for different user groups.

Not C: Property: `ConfigurationKey`

Select which configuration key is required to enable the menu item. Use the key for the module that the object belongs to.

Reference: Menu Item Properties [AX 2012]

QUESTION 2

You have the following X++ statement:



```
Int counter = 4;  
;  
Do  
{  
    while(counter>=3)  
    {  
        print sprintf("%1", 2);  
        break;  
    }  
    print sprintf("%1", counter);  
    counter--;  
}  
While(counter >= 3);  
Pause;
```



You need to identify the output of the statement. What should you identify?

- A. 2
- B. 4
- C. 2
- D. 2

Correct Answer: A

QUESTION 3

You have the following X++ code: (Line numbers are included for reference only.)



```
01 public class Class1
02 {
03     int var1;
04 }

05 public void method1()
06 {
07     var1 = 5;
08 }

09 public void method2()
10 {
11     var1 = 10;
12 }

13 public class Class2
14 {
15 }

16 public void method3()
17 {
18     Class1 c1 = new Class1();
19     Class1 c2 = new Class1();
20     c1.method1();
21     c2.method2();
22 }
23 info("done");
24 }
```



Method 1 and method2 are in Class 1. Method3 is in Class2.

You need to identify the value of var 1 for the c1 object when the execution of the code reaches line 22.

Which value should you identify?

- A. 10
- B. Undefined
- C. 0
- D. 5

Correct Answer: D

QUESTION 4

You need to identify which elements the Reverse engineer tool will provide for a data model. Which three elements should you identify? Each correct answer presents part of the solution.

- A. Table methods
- B. Classes
- C. Table fields



D. Base enumerations

E. Extended data types (EDTs)

Correct Answer: CD

The following table lists the elements that are included in the diagram for the UML data model:

*

(C) Table fields

*

(D) All base enums

*

(F) All extended data types Etc.

Note: The Reverse Engineering tool can create the following types of UML models:

*

UML data model

*

UML object model

Reference: Reverse Engineering Tool Overview [AX 2012]

QUESTION 5

You need to identify which permission can be set only on a form that has date effective data. Which permission should you identify?

A. Correct

B. Create

C. Delete

D. Read

E. Update

Correct Answer: A

For example, you have a role where you set the PastDataAccess property to Read, the Current- DataAccess to Update, and FutureDataAccess to Delete. The role also includes a privilege that contains a permission to a valid time state table

where the EffectiveAccess property is set to Cor- rect. As a result, the role has read access to past records, update access to current records, and correct access to future records.



Note:

To grant access to the records in a valid time state table, you use the role-based security. You can specify whether a role can view, create, or update records in the table.

* When you add date effective fields to a form, you use one of the following patterns.

Show the current value.

Show a list of editable records.

Show a read-only list of records.

Reference: Date Effective Data Sources for Forms [AX 2012]

[Latest MB6-704 Dumps](#)

[MB6-704 Practice Test](#)

[MB6-704 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.