



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibits.



```
<flow name="chooseRegion" >
  <scheduler doc:name="Scheduler" >
    <scheduling-strategy >
      <fixed-frequency frequency="5000"/>
    </scheduling-strategy>
  </scheduler>
  <set-payload value='#["REGION"]' doc:name="REGION" />
  <choice doc:name="Choice" >
    <when expression='#[not isEmpty(payload)]'>
      <set-payload value='#["US"]' doc:name="US" />
    </when>
    <when expression='#[payload is String]'>
      <set-payload value='#["EU"]' doc:name="EU" />
    </when>
    <otherwise>
      <logger level="INFO" doc:name="payload" message="#[payload]"/>
    </otherwise>
  </choice>
  <logger level="INFO" doc:name="payload" message="#[payload]"/>
</flow>
```

A Mule application contains a Choice router. What is logged when the flow completes? A.EU

B. US



C. "REGION"

D. ["US", "EU"]

Correct Answer: B

QUESTION 2

Refer to the exhibits. A web client submits a request to `http://localhost:8081/flights?destination=SFO` and the Web Service Consumer throws a `WSC:BAD_REQUEST` error.

What is the next step to fix this error?



```

.....
Message           : Cannot build default body request for operation [findFlight], the operation requires input
parameters.
Error type        : WSC:BAD_REQUEST
Element          : 10.02.06-soaperrorFlow/processors/0 @ 10.02.06-soaperror:10.02.06-soaperror.xml:21 (Consume)
Element XML      : <wsc:consume doc:name="Consume" doc:id="49a84a74-2848-4a65-b93f-dcbf59fd4412" config-
ref="Web_Service_Consumer_Config" operation="findFlight"></wsc:consume>
.....

```

(set debug level logging or '-Dmule.verbose.exceptions=true' for everything)

- A. Set a header In the Consume operation equal to the destination query parameter
- B. set a SOAP payload before the Consume operation that contains the destination query parameter
- C. set a property in the Consume operation equal to the destination query parameter
- D. set a JSON payload before the Consume operation that contains the destination query parameter

Correct Answer: B

QUESTION 3

A Batch Job scope has three batch steps. An event processor throws an error in the second batch step because the input data is incomplete.

What is the default behavior of the batch job after the error is thrown?




- A. All processing of the batch job stops.
- B. None of these.
- C. Error is ignored.
- D. Event processing continues to the next batch step.

Correct Answer: A

QUESTION 4

Refer to the exhibits.



```
<flow name="main" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <flow-ref doc:name="private" name="private"/>
  <set-payload value="Success - main flow" doc:name="'Success - main flow'" />
  <error-handler>
    <on-error-continue enableNotifications="true" logException="true" doc:name="On Error Continue" >
      <set-payload value="Error - main flow" doc:name="'Error - main flow'" />
    </on-error-continue>
  </error-handler>
</flow>

<flow name="private" >
  <validation:is-number numberType="INTEGER" doc:name="payload" value="#[payload]"
  message="Validation Error" />
  <error-handler >
    <on-error-continue enableNotifications="true" logException="true" doc:name="On Error Continue" >
      <set-payload value="Error - private flow" doc:name="'Error - private flow'" />
    </on-error-continue>
  </error-handler>
</flow>
```



The Validation component in the private flow throws an error. What response message is returned to a client request to the main flow's HTTP Listener?

- A. Error - private flow
- B. Error - main flow
- C. Success - main flow
- D. Validation Error

Correct Answer: C

QUESTION 5

A web client sends a request to <http://localhost:8081?dept=sales>. What is the correct DataWeave expression to access the value of dept?

- A. attributes.queryParams.dept
- B. attributes.dept
- C. message.queryParams.dept
- D. vars.dept

Correct Answer: A

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA Exam Questions](#)

[MCD-LEVEL1-DELTA Braindumps](#)