



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






QUESTION 1

Refer to the exhibit.

In the execution of the Scatter-Gather, the "sleep 1 sec" Flow Reference takes about 1 second to complete, and the "sleep 5 sees" Row Reference takes about 5 seconds to complete. About how many seconds does it take from the time the Scatter-Gather is called until the Set Payload transformer is called?



- A. 0
- B. 1
- C. 5
- D. 6

Correct Answer: C

QUESTION 2

Refer to the exhibits.



POST /order request x Problems

There are no errors.

General

Streaming strategy: Repeatable file store stream (Default)

In memory size: 1024

Buffer unit: KB (Default)

Output

Target Variable: theResult

Target Value: `#[payload`


In the requestFlow an HTTP Request operation is configured to send an HTTP request with an XML payload. The request is sent to the HTTP Listener in the transform Flow. That flow transforms the incoming payload into JSON format and returns the response to the HTTP request. The response of the request is stored in a target variable named the Result. What is the payload at the Logger component after the HTTP Request?

- A. A non-empty Java object
- B. The original XML payload
- C. null
- D. The returned JSON response

Correct Answer: B

QUESTION 3

Refer to the exhibits.



```

<flow name="getNumbers" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather" >
    <route >
      <flow-ref doc:name='setPayload100' name='setPayload100' />
    </route>
    <route >
      <flow-ref doc:name="setPayload200" name="setPayload200" />
    </route>
  </scatter-gather>
  <ee:transform doc:name="payload">
    <ee:message >
      <ee:set-payload ><![CDATA[%dw 2.0
output application/json
---
payload]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>
<flow name="setPayload100" ><set-payload value='#[ "100" ]' doc:name=' "100" ' /></flow>
<flow name="setPayload200" ><set-payload value='#[ "200" ]' doc:name=' "200" ' /></flow>

```

The input array of strings is processed by the batch job that processes, filters, and aggregates the values. What is the last message logged by the Logger component after the batch job completes processing?



- A.

```
[
  {
    "attributes": ...,
    "payload": "100"
  },
  {
    "attributes": ...,
    "payload": "200"
  }
]
```
- B.

```
{
  "0": "100",
  "1": "200"
}
```
- C.

```
["100", "200"]
```
- D.

```
{
  "0": {
    "attributes": ...,
    "payload": "100"
  },
  "1": {
    "attributes": ...,
    "payload": "200"
  }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C



QUESTION 4

What is the use of DevKit in Mule 4?

- A. Facilitates communication between third-party systems and Mule applications.
- B. No use.
- C. Offers connector end user support in a few aspects of Mule app design.
- D. Enables the development of Anypoint Connectors.

Correct Answer: B

QUESTION 5

What is the value of the stepVar variable after the processing of records in a Batch Job?

- A. -1
- B. 0
- C. Null
- D. Last value from flow

Correct Answer: C

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA Practice Test](#)

[MCD-LEVEL1-DELTA Exam Questions](#)