



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



A Mule event is composed of a hierarchy of objects. Where in the hierarchy are variables stored?

- A. Mule event
- B. Mule message payload
- C. Mule message
- D. Mule message attributes

Correct Answer: A

QUESTION 2

A Mule project contains a MySQL Database dependency. The project is exported from Anypoint Studio so it can be deployed to CloudHub.

What export options create the smallest deployable archive that will successfully deploy to CloudHub?



- A. ☒ Attach project sources
☒ Include project modules and dependencies
- B. ☐ Attach project sources
☒ Include project modules and dependencies
- C. ☒ Attach project sources
☐ Include project modules and dependencies
- D. ☐ Attach project sources
☐ Include project modules and dependencies

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 3

Refer to the exhibits.



```
<flow name="getFruits">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather">
    <route> <flow-ref doc:name="banana" name="banana"/> </route>
    <route> <flow-ref doc:name="apple" name="apple"/> </route>
  </scatter-gather>
  <transform-message doc:name="Transform Message" />
</flow>

<sub-flow name="apple"><set-payload value="Apple" doc:name="Apple" /></sub-flow>
<sub-flow name="banana"><set-payload value="Banana" doc:name="Banana" /></sub-flow>
```

A web client submits a request to <http://localhost:8081>. What is the structure of the payload at the end of the flow?

- A. [\\Banana\\, \\Apple\\]
- B. { "0": "Banana", "1": "Apple" }
- C. { "attributes": ..., "payload": [\\Banana\\, \\Apple\\] }
- D. { "0": { "attributes": ..., "payload": "Banana" } "1": { "attributes": ..., "payload": "Apple" } }

Correct Answer: A

QUESTION 4

What is the purpose of API autodiscovery?

- A. Enables API Manager to discover the published API on Anypoint Exchange.
- B. Allows a deployed Mule application to connect with API Manager to download policies and act as its own API proxy.
- C. Enables an API to be directly managed in API Manager.




D. Allows the Mule application to be automatically discovered on Anypoint Exchange.

Correct Answer: B

QUESTION 5

Refer to the exhibit.



The Mule application is debugged in Any point Studio and stops at the breakpoint. What is the value of the payload displayed in the debugger at this breakpoint?

A. 0

B. "Processing"

C. "Start"

D. Complete"

Correct Answer: C

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA VCE Dumps](#)

[MCD-LEVEL1-DELTA Study Guide](#)