



# MCD-LEVEL1<sup>Q&As</sup>

MuleSoft Certified Developer - Level 1 (Mule 4)

## Pass Mulesoft MCD-LEVEL1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mcd-level1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is the object type returned by the File List operation?


- A. Object of String file names
- B. Array of String file names
- C. Object of Mule event objects
- D. Array of Mule event objects

Correct Answer: D

The List operation returns an array of messages in which: Each message holds the file's content in its payload. The file's attributes section carries the file's metadata (such as name, creation time, and size). The payload is empty if the element is a folder.

### QUESTION 2

Refer to the exhibits.



The main flow contains an HTTP Request. The HTTP Listeners and HTTP Request use default configurations.

What values are accessible in the child flow after a web client submits a request to <http://localhost:8081/order>? col or = red?

- A. payload
- B. payload quantity var
- C. payload color query param
- D. payload quantity var color query param



Correct Answer: A

### QUESTION 3

Which of the below is used by Mule application to manage dependencies which make sharing the projects lightweight and easier?


- A. Configuration file
- B. Global element
- C. POM.xml
- D. Cloudhub

Correct Answer: C

POM.xml contains info about the project and configuration details used by Maven to build the project

### QUESTION 4

In the execution of scatter gather, the "sleep 2 sec" Flow Reference takes about 2 sec to complete, and the "sleep 8 sec" Flow Reference takes about 8 sec to complete. About how many sec does it take from the Scatter-Gather is called until the "Set Payload" transformer is called?





- A. 8
- B. 0
- C. 2
- D. 10

Correct Answer: A


Correct answer is 8 as events are processed in parallel in case of scatter gather router

### QUESTION 5

Refer to the exhibits.

A web client sends a GET request to the HTTP Listener.

What response message is returned to the web client?



```
<flow name="validatePayload" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <set-payload value="Start" doc:name="Start" />
  <validation:is-blank-string doc:name="payload" value="#[payload]" />
  <set-payload value="End" doc:name="End" />
</flow>
```

- A. ""
- B. "End"
- C. "Start"



D. "String is not blank"

Correct Answer: B

1.

Set Payload "Start"

2.

\\Is Balnk String\\' Creates an Error object with #[error.description] ="String is not blank"


3.

Default Error Handler catches and Propagates error

4.

\\On Error Propogate\\' is \\RED IN RED OUT\\'. It Returns Status Code : 500 and #[error.description]

Correct answer is String is not blank. Because validation component will throw an error as payload is not blank.



[Latest MCD-LEVEL1 Dumps](#)

[MCD-LEVEL1 VCE Dumps](#)

[MCD-LEVEL1 Braindumps](#)