



MCQS^{Q&As}

Multiple-choice questions for general practitioner (GP) Doctor

Pass Test Prep MCQS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/mcqs.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

To prevent tetanus in neonate:

- A. Give penicillin to child to kill tetanus bacilli
- B. Give immunoglobulin to mother
- C. Give tetanus toxoid to mother
- D. Give antibiotics to mother

Correct Answer: C

Antitetanus vaccination in multiple doses (2?) is up to 98% effective in preventing neonatal tetanus and neonatal tetanus deaths in under-resourced settings. Single doses of the tetanus vaccine are not enough to prevent neonatal tetanus deaths. In addition to administration of antitetanus vaccines, efforts should be made to ensure that women receive obstetric care to ensure clean deliveries.

QUESTION 2

A young man comes up with a headache, which he describes that this headache is the most severe headache in his life.

Which of the following will be less useful?

- A. Lumbar Puncture
- B. Do MRI or CT scan
- C. Skull X ray
- D. Asking more details about headache

Correct Answer: C

QUESTION 3

The tumor, which may occur in the residual breast or overlying skin following wide local excision and radiotherapy for mammary carcinoma, is:

- A. Squamous cell carcinoma
- B. Leiomyosarcoma
- C. Angiosarcoma
- D. Basal cell carcinoma

Correct Answer: C



QUESTION 4

72-year-old lady is drowsy and her relatives want to take her home.

She has been prescribed diazepam 2.5m delivery route?

- A. Per rectal
- B. Intra Muscular
- C. Subcutaneous
- D. Oral
- E. Intravenous

Correct Answer: A

QUESTION 5

A man comes to the clinic having had a painless, firm genital lesion for the last several days. The inguinal adenopathy is painless.

What is the most accurate diagnostic test?

- A. VDRL
- B. RPR
- C. Darkfield microscopic exam

Correct Answer: C

The VDRL and RPR are only 75 percent sensitive in primary syphilis. There is a false negative rate of 25 percent. The most accurate test in primary syphilis is dark field microscopy.

[MCQS VCE Dumps](#)

[MCQS Exam Questions](#)

[MCQS Braindumps](#)