



NCM-MCI^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure

Pass Nutanix NCM-MCI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncm-mci.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A guest VM is reported to have poor storage performance. It has an I/O profile of 80% read. 20% write, and the HDDs form more than 50% of the read source. What should an administrator do to resolve this issue?

- A. Increase SSD capacity
- B. Increase the OPLOG
- C. Increase the write cache
- D. Use HDDs with higher RPM

Correct Answer: A

Ref: <https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2126-SAS-on-Nutanix:BP-2126-SAS-on-Nutanix>

QUESTION 2

An administrator is deploying Nutanix Files 3.5 and needs to configure the sizing of the FSVMs for an increased number of concurrent SMB connections over the default 750. What should the administrator do?


- A. Deploy the Files VMs. power down the three FSVMs. change the CPU and RAM via Prism, and then power the three FSVMs back up
- B. During installation, click Customize on the File Server Installation screen, change the number of connections, and finish the installation
- C. Complete the default installation change the CPU and RAM in Prism, and then log into the File Server dashboard and change the Filer Server Properties
- D. During installation, input the correct number of connections in the File Server Installation screen and complete the installation

Correct Answer: B

Ref: https://portal.nutanix.com/page/documents/details?targetId=Files-v3_6:fil-file-server-manage-c.html

QUESTION 3

Refer to the exhibit.



What is the purpose of eth2 on the CVMs?

- A. RDMA Network Segmentation
- B. iSCSI connectivity
- C. Remote site connectivity
- D. Network Segmentation

Correct Answer: A

Ref: <https://next.nutanix.com/installation-configuration-23/backplane-network-in-aos-5-5-27291>

QUESTION 4

An administrator needs to forecast infrastructure requirements for a new program and its associated applications. Prior to the projected start of the new program, all existing applications will be decommissioned. How should the administrator perform this task?

- A. Check the Disregard Existing Workloads radio button in the Runway scenario.
- B. Check the Disregard Existing Nodes radio button in the Runway scenario.
- C. Add up the recovered workloads and manually remove from the Runway configuration.
- D. Power down the workloads during a maintenance window and run the Capacity Runway.

Correct Answer: A

QUESTION 5

An administrator finds that home shares cannot be configured in a new Files 3.5 deployment. Why is this happening?



- A. NFS default access is set to Read Only.
- B. Multi-protocol access is not configured.
- C. Access Based Enumeration is not enabled.
- D. The system is deployed as a single FSVM.

Correct Answer: D

[NCM-MCI VCE Dumps](#)

[NCM-MCI Practice Test](#)

[NCM-MCI Braindumps](#)