



# NCP-5.15<sup>Q&As</sup>

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI 5.15)

## Pass Nutanix NCP-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-5-15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared.

Which two methods can be used to anonymize the log data sent to Nutanix Support? (Choose two.)

- A. On the Health dashboard in Prism, use the Collect Logs option under Actions and choose Anonymize Output
- B. Run the ncc log\_collector tool on a CVM, setting the --anonymize\_output flag to true
- C. Under the User Profile in Prism, select Anonymize Log Output then run Log Collector from the Health dashboard.
- D. Run the ncc log\_collector tool on a CVM, setting the -- enhanced log collector flag to true,

Correct Answer: AB

---

**QUESTION 2**

An administrator is auditing the recent alerts on the cluster to report to the management.

Which dashboard in Prism Central can be used to generate this report?

- A. Alerts
- B. Explore
- C. Apps
- D. Analysis

Correct Answer: A

---

**QUESTION 3**

A customer has a 24-node cluster with all containers configured with RF3. Two different nodes have incurred a simultaneous HDD failure.

What is the result?

- A. The cluster runs in a degraded state until the failed drives are replaced and the data has been restored to three replicas.
- B. Sixty minutes after the failures a rebuild of the lost data can remaining HDDs begins to restore to three replicas.
- C. The VMs with data on those drives crash, and an HA event occurs, restarting them on a remaining healthy node.
- D. The Nutanix cluster recognizes the failures and immediately begins to rebuild lost data to three replicas.

Correct Answer: D

---



#### QUESTION 4

Where should an administrator unregister Prism Element from Prism Central?

- A. From a Host SSH session
- B. From the Prism Central web console
- C. From the Prism Element web console
- D. From a CVM SSH session

Correct Answer: D

---

#### QUESTION 5

An administrator needs to bring down a host in a Nutanix Cluster for maintenance reasons. The administrator puts the host in maintenance mode.

What should the administrator do to perform an orderly shutdown of the CVM?

- A. Execute the `cvm_shutdown -P new` command from the CVM.
- B. Enter Fever off Server - immediate from the IPMI console.
- C. Enter Fever off Server-orderly Shutdown from the IPMI console.
- D. Execute the `cvm_shutdown -P now` command from the host.

Correct Answer: D

[NCP-5.15 VCE Dumps](#)

[NCP-5.15 Study Guide](#)

[NCP-5.15 Braindumps](#)