



# NCP-MCI-5.20<sup>Q&As</sup>

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

## Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-mci-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An administrator is creating a Protection Domain to back up multiple application environments. Which mechanism does Nutanix use to aggregate VMs with common backup and restore objectives?

- A. Consistency Groups
- B. Application Pools
- C. Availability Domains
- D. Policy-based Backups

Correct Answer: A

---

### QUESTION 2

20 sites with two-node clusters in Singapore. 20 sites with two-node clusters in Japan. 30 sites with two-node clusters in Australia

The HQ and main datacenters is based in Hong Kong

What is the minimum number of Witness VMs the administrator should configure at the Hong Kong HQ datacenter?

- A. 1
- B. 2
- C. 3
- D. 5

Correct Answer: A

---

### QUESTION 3

What command is used to run the nutanix cluster checks from the CVM CLI?

- A. ncc health\_check run\_all
- B. ncc run\_all\_health\_check
- C. ncc check\_all health\_options
- D. ncc check\_health run\_all

Correct Answer: A

---



#### QUESTION 4

An administrator has an existing Nutanix cluster that is configured to protect VMs using Time Stream. The administrator now needs to add support for protecting these VMs in AWS. Which two changes must be made to the cluster to meet this requirement? (Choose two)

- A. Configure protection domains with a 15-minute schedule.
- B. Add the remote site to the existing protection domains.
- C. Configure a remote site.
- D. Deploy a remote site for another cluster.

Correct Answer: BD

Explanation: <https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v55:wc-dr-management-wc-c.html>

---

#### QUESTION 5

An administrator needs to power down an AHV node in order to replace a failed DIMM.

Which step should the administrator take after placing the node into maintenance mode?

- A. Execute the command cluster status
- B. Power of the node
- C. Shut Down the nutanix CVM
- D. Reboot the Nutanix CVM

Correct Answer: C

[Latest NCP-MCI-5.20 Dumps](#)

[NCP-MCI-5.20 VCE Dumps](#)

[NCP-MCI-5.20 Braindumps](#)