



NCP-MCI-5.20^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-mci-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator's cluster experiences a CVM failure. However, VMs on the nodes continue to produce I/O. Which Distributed Storage Fabric can be attributed to this behavior?

- A. Information Lifecycle Management
- B. Data Path Redundancy
- C. VM Snapshotting and Cloning
- D. Scalable Cassandra Database

Correct Answer: B

QUESTION 2

For a single VM, which AHV bond mode would leverage all available uplink bandwidth?

- A. balance-slb
- B. active-backup
- C. balance-rep
- D. active-active

Correct Answer: C

QUESTION 3

Two HDDs fail simultaneously on a single AHV host. What are the chances of data loss?

- A. 0%
- B. 25%
- C. 50%
- D. 100%

Correct Answer: A

Reference: <https://next.nutanix.com/prism-infrastructure-management-26/nutanix-fault-tolerance->



QUESTION 4

An administrator needs to report on any alerts generated by a Nutanix cluster that affected the cluster's availability over the past 10 days. Which method should be used to locate these events?

- A. On the Health dashboard, use the Log Collector to export data based on time stamp.
- B. Export the cluster event log to a CSV on the Alerts dashboard.
- C. On the Alerts dashboard, filter based on Impact Type and the desired Time Range.
- D. Configure an Alert Policy to generate an email with the data on the Health dashboard.

Correct Answer: C

Reference: <https://portal.nutanix.com/page/documents/details?targetId=Prism-Central-Guide-Prism-v55:mulalerts-management-pc-c.html>

QUESTION 5

Which three configuration scenarios are valid for the deployment of Prism Central? (Choose three.)

- A. Environments use Network Address Translation.
- B. Prism Elements and Prism Central are in different subnets.
- C. Environments do not have Internet access.
- D. Prism Elements and Prism Central have proxy configured.
- E. Environments use the 192.168.5.0/24 CVM management network.

Correct Answer: ACE

[Latest NCP-MCI-5.20 Dumps](#)

[NCP-MCI-5.20 PDF Dumps](#)

[NCP-MCI-5.20 Study Guide](#)