



NCP-MCI-5.20^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-mci-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator needs to power down an AHV node in order to replace a failed DIMM.

Which step should the administrator take after placing the node into maintenance mode?

- A. Execute the command cluster status
- B. Power of the node
- C. Shut Down the nutanix CVM
- D. Reboot the Nutanix CVM

Correct Answer: C

QUESTION 2

Which two methods can be used to create VMs with UEFI firmware? (Choose two.)

- A. Prism web console
- B. PowerCLI
- C. aCLI commands
- D. vCenter 6.7

Correct Answer: AC

QUESTION 3

An administrator needs to deploy a Nutanix Cluster that hosts the following workloads 1)1000 persistent virtual Desktop VMs 2)100 Generic server VMs 3)5 Microsoft exchange server VMs 4)10 SQL server VMs Which container configuration should be deployed to maximize data efficiency?

- A. 1 container with compression enabled and 1 container with deduplication
- B. 2 containers with deduplications and erasure coding enabled
- C. 2 containers with no data efficiency mechanisms enabled
- D. 1 containers with compression enabled and 1 container with Erasure Coding enabled

Correct Answer: A



QUESTION 4

When installing Nutanix Guest Tools (NGT) on an ESXi-hosted VM, which port should be enabled on the VM to allow communication with the NGT-Controller VM service?

- A. 2000
- B. 2074
- C. 8080
- D. 9943

Correct Answer: B

QUESTION 5

The customer is seeing high memory utilization on a mission critical VM. Users report that the application is unavailable. The guest OS does not support hot add components.

How should the administrator fix this issue?

- A. Access the CVM on the host that is running the VM: *Open acli *Run a command to increase the amount of RAM assigned to the VM
- B. From the Prism web console: *Go to the VM dashboard *Select the VM from the VMs list *Choose Update *Adjust the amount of memory assigned to the VM
- C. Go to Control Panel in the VM: *Select the Computer Properties *Increase the amount of RAM assigned
- D. During the next maintenance window: *Select the VM from the VMs list *Perform a graceful shutdown

Correct Answer: D

[Latest NCP-MCI-5.20 Dumps](#)

[NCP-MCI-5.20 Exam Questions](#)

[NCP-MCI-5.20 Braindumps](#)