



NCP-MCI-5.20^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-mci-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is Prism Central primarily used for?

- A. Multi-cluster network configuration
- B. Container creation
- C. Multi-cluster Single Sign On
- D. Data reduction configuration

Correct Answer: C

QUESTION 2

Where should an administrator go to check upgrade compatibility between different AOS versions?

- A. The Upgrade Matrix Page in Life Cycle Management.
- B. The Upgrade compatibility page in life Cycle Management.
- C. The Upgrade Path page in Prism Central.
- D. The Upgrade Paths page on the Support Portal

Correct Answer: A


Explanation: <https://portal.nutanix.com/page/documents/kbs/details/?targetId=kA00e000000LMgICAW>

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v511:wc-cluster-expand-wc-t.html>

<https://stonefly.com/blog/storage-snapshot-technology-techniques-and-details> AOS tracks snapshots with a fine-grained redirect-on-write algorithm that allows fine-grained control and maximizes both efficiency and performance. Clone hundreds of new workloads in seconds, and create deep snapshot chains without impacting applications.

QUESTION 3

Refer to the exhibit.



System Non-Root Partition Usage shows a warning or critical alert. The administrator needs to change the frequency of checks and alerts to respond more quickly. Where in Prism Element should the administrator change the frequency of checks and alerts?

- A. Health Dashboard > Manage Checks > Frequency
- B. Alerts Dashboard > Manage Checks > Schedule
- C. Health Dashboard > Manage Checks > Schedule
- D. Alerts Dashboard > Manage Checks > Frequency

Correct Answer: D

QUESTION 4

An administrator has a Custom backup application that requires a 2TB disk and runs on Windows. Throughput is considerably lower than expected.

The application was installed on a VM with the following configuration:

FOU vCPUs with one core/vCPU 4GB of Memory One 50GB vDisk for the Windows installation One 2TB vDisk for the application

What is the recommended configuration change to improve throughput?

- A. Add 4GB of memory to the VM
- B. Increase the vCPUs assigned to the VM
- C. Span the 2TB disk across four vDisks
- D. Increase the number of cores per vCPU

Correct Answer: D



QUESTION 5

What are two minimum prerequisites for live migration to succeed? (Choose two.)

- A. All AHV hosts have IP addresses in the same subnet
- B. All AHV hosts must be configured on the same VLAN
- C. All VMs have an IP address in the same subnet
- D. All VMs are configured for the same VLAN

Correct Answer: AB

[NCP-MCI-5.20 VCE Dumps](#) [NCP-MCI-5.20 Practice Test](#) [NCP-MCI-5.20 Study Guide](#)