



NREMT^{Q&As}

National Registry Emergency Medical Technician

Pass Medical Tests NREMT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/nremt.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Medical Tests Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are called to the scene of a car versus tree accident. Upon arrival, you find the car to be engulfed in flames, with fire showing from underneath the hood and inside the passenger compartment. You can see that the operator of this vehicle is unconscious and slumped over the steering wheel. Which of the following is your first priority?

- A. Ensuring safety of any by-standers
- B. Ensuring safety of the fire department
- C. Effecting immediate rescue of the patient
- D. Ensuring safety of you and your partner

Correct Answer: D

While all of the answers listed are considered priorities in this scenario, the safety of yourself and your crew must always come first. Your primary responsibility is always to ensure the safety of yourself and your crew. Once this is completed, then the focus can turn to the extrication and management of the patient. Always stay attentive to the scene, however, as things may suddenly change for the worse.

QUESTION 2

You find that your diabetic patient is hypoglycemic, you have oral glucose to give to the patient. You will give 15 grams of instant glucose to the following patients except?

- A. Conscious with blood sugar
- B. Semi conscious with gag reflex and the ability to swallow
- C. Semi conscious without the ability to swallow
- D. Conscious with an altered mental status and blood sugar of 80mg/dl

Correct Answer: C

The clinician should never give any patient who can not swallow anything by mouth, aspiration is a real risk. A patient with an altered mental status with a blood sugar of 80mg/dl should be given glucose to correct the mental status.

QUESTION 3

When dealing with a patient who has suffered an injury to the back of his head, what part of the brain you should suspect will be affected?

- A. Frontal
- B. Occipital
- C. Parietal
- D. Temporal



Correct Answer: B

The Occipital region of the brain is located in the posterior (rear) area of the brain and is the most likely to be injured by trauma to the back of the head.

QUESTION 4

Research shows that most of the cases of inappropriately delivered shocks from an AED have been caused by:

- A. Mechanical interference.
- B. Improperly charged batteries.
- C. Malfunctioning electrodes.
- D. Human error.

Correct Answer: D

Almost all documented cases of inappropriate shocks have been attributed to human error, such as using the AED in a moving vehicle or operating it on a patient with a pulse.

QUESTION 5

"You are dispatched to a 70-year old male who is complaining of chest pain, and has a history of cardiac problems. If you assist in the administration of nitroglycerin, what is the maximum dosage to be given, without additional medical direction? "

- A. 2 tablets
- B. 3 tablets
- C. 4 tablets
- D. 5 tablets

Correct Answer: B

The maximum dosage amount is three tablets, or sprays, without additional medical direction.

[Latest NREMT Dumps](#)

[NREMT Study Guide](#)

[NREMT Exam Questions](#)