



NS0-153^{Q&As}

Network Appliance Storage Networking

Pass NetApp NS0-153 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-153.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

If a NFS client attempts and fails to access a file opened by a CIFS application, which command would you use to view the connection?

- A. cifs audit
- B. cifs sessions
- C. cifs shares
- D. cifs lookup

Correct Answer: B

QUESTION 2

Which two will allow you to read and analyze a packet trace file generated by the storage appliance? (Choose 2)

- A. pktt
- B. Netmon
- C. Eternal View
- D. Ethereal

Correct Answer: BD

QUESTION 3

Physical Reallocation of a SnapMirror source volume increases the amount of data to transfer for the next SnapMirror update.

- A. True
- B. False

Correct Answer: A

QUESTION 4

If you cannot access a LUN that has been created and mapped to an initiator from a Solaris host, which are two possible problems? (Choose 2.)

- A. The storage appliance is not in the /etc/hosts file.
- B. The LUN ID is not in the /etc/sd.conf file.



- C. The devfsadm command has not been executed.
- D. The LUN ID is not in the /kernel/drv/sd.conf file.

Correct Answer: CD

QUESTION 5

What is the outcome of this command?

```
lun create -b /vol/vol2/.snapshot/testsnap/lun0 /vol/vol2/lun0.clone
```

- A. It creates a duplicate of the clone process of lun0.
- B. It creates a clone of the writeable snapshot of lun0.
- C. It creates a writeable snapshot of lun0.
- D. It creates a snapshot "testsnap" of vol2.

Correct Answer: C

[Latest NS0-153 Dumps](#)

[NS0-153 VCE Dumps](#)

[NS0-153 Study Guide](#)