



# NS0-155<sup>Q&As</sup>

NetApp Certified 7-Mode Data Administrator

## Pass NetApp NS0-155 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-155.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Snapshot copies for SnapLock volumes are deleted automatically according to the retention count set in the Snapshot schedule.

- A. True
- B. False

Correct Answer: A

<https://library.netapp.com/ecmdocs/ECMP1196889/html/GUID-83A15F85-92A1-4EA8-A9EC-B9E0E2269E37.html>

---

### QUESTION 2

When will a Volume SnapMirror (VSM) from a 64-bit source to a 32-bit destination volume fail?

- A. When the 64-bit volumes has Volume Guarantee disabled
- B. When the 64-bit volume has compression enabled
- C. When the 64-bit volume has FlexShare enabled
- D. When the 64-bit volume has ASIS enabled

Correct Answer: B

<https://library.netapp.com/ecmdocs/ECMP1196986/html/GUID-87340429-8F4A-4AA6-B081-0F5040089C78.html> Data compression requires 64-bit aggregates.

---

### QUESTION 3

Which set of commands should be used for troubleshooting Ethernet connectivity problems from the storage system console?

- A. ifstat, netdiag
- B. perfstat, tracert
- C. sysconfig - cr, sysstat
- D. dish shm\_stats, sysstat

Correct Answer: A

[https://library.netapp.com/ecmdocs/ECMP1196890/html/man1/na\\_ifstat.1.html](https://library.netapp.com/ecmdocs/ECMP1196890/html/man1/na_ifstat.1.html) [http://backdrift.org/man/netapp/man1/na\\_netdiag.1.html](http://backdrift.org/man/netapp/man1/na_netdiag.1.html) ifstat - display device-level statistics for network interfaces netdiag - perform network diagnostics

---



#### QUESTION 4

Executing this command will have what effect? Options wafl.default\_security\_style ntfs

- A. It will set the security style of all files to be ntfs.
- B. It will change the security style of all qtrees to be ntfs.
- C. It will change the security style of all existing volumes to be ntfs.
- D. It will set the security style of all newly created volumes to ntfs.

Correct Answer: D

[https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na\\_options.1.html](https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_options.1.html)

wafl.default\_security\_style Specifies the default security style assigned to a new volume. All qtrees created on the volume get this as their security style. Legal values for this option are `unix\\`, `ntfs\\`, or `mixed\\`. The default value for this option is `unix\\`, unless the node is an NTFS-only node, in which case the default is `ntfs\\`. Note: if cifs setup is run after setting wafl.default\_security\_style, the filer will become an NTFS security style filer.

---

#### QUESTION 5

The snapvault snap sched -x command is used to \_\_\_\_\_.

- A. schedule full backups
- B. cancel scheduled backups
- C. schedule baseline transfer
- D. schedule incremental backups

Correct Answer: D

[NS0-155 Study Guide](#)

[NS0-155 Exam Questions](#)

[NS0-155 Braindumps](#)