



NS0-157^{Q&As}

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass NetApp NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-157.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Volumes can be moved from 32-bit aggregates to which two types of aggregates? (Choose two.)

- A. 32-bit aggregates
- B. 64-bit aggregates
- C. Flex aggregates
- D. Traditional aggregates

Correct Answer: AB

QUESTION 2

How does the NetApp Remote Support Agent (RSA) connect to NetApp support?

- A. NetApp Support initiates a secure connection to the RSA.
- B. NetApp Support initiates a non-secure connection to the RSA.
- C. The RSA initiates a secure connection to NetApp Support.
- D. The RSA initiates a non-secure connection to NetApp Support.

Correct Answer: C

Remote Support Agent uses the following security measures:

Connections are outbound only.

Connection between Remote Support Agent and Remote Support Enterprise is always initiated by Remote Support Agent. This ensures that there is only an outbound connection from your site to technical support.

All communications are authenticated.

Communication between Remote Support Agent and Remote Support Enterprise is encrypted using 128bit VeriSign signed Secure Socket Layer (SSL) certificates. Remote Support Agent retains a copy of the

Remote Support Enterprise public certificate to ensure that communication occurs only with NetApp

Support. If the authentication fails, the connection is broken and no data is sent.

NetApp Remote Support Agent (RSA) is supported on the RLM and SP modules. Link: [https://](https://library.netapp.com/ecm/ecm_download_file/ECMP1200041)

library.netapp.com/ecm/ecm_download_file/ECMP1200041

QUESTION 3



What are three types of Vservers? (Choose three)

- A. vFiler
- B. node
- C. intercluster
- D. cluster
- E. admin
- F. data

Correct Answer: BEF

<https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-D860985F-11BF-4589-9457E0FD03130B1F.html>

QUESTION 4

What command starts recording the current CLI session into a file?

- A. system cli record
- B. system record start
- C. system script record
- D. system script start

Correct Answer: D

QUESTION 5

When a pNFS client is connected on a LIF on node 1 of a 4-node clustered Data ONTAP pNFS 4.1 vServer, and node 2 performs a storage takeover (SFO) of node 1, and LIFs fail over to node 3, which statement is true?

- A. This mount goes stale.
- B. The client waits for node 1 to come back up.
- C. The pNFS redirects access to a LIF on node 2.
- D. The client accesses the virtual IP of the cluster which handles access to the data during the failure.

Correct Answer: C

<http://www.redbooks.ibm.com/redpieces/pdfs/sg248200.pdf>