



NS0-157^{Q&As}

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass Network Appliance NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-157.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three NFS versions does Data ONTAP 8.1 Cluster-Mode support? (Choose three)

- A. NFSv.0
- B. NFSv.1
- C. NFSv.1.1
- D. NFSv3.0
- E. NFSv4.1
- F. NFSv5.0

Correct Answer: DEF

<http://www.globbtv.com/microsite/18/Adjuntos/TR-4067%20NFSV3V4%20IN%20DATA%20ONTAP%208.1%20OPERATING%20IN%20CLUSTER-MODE%20IMPLEMENTATION%20GUIDE.PDF>

QUESTION 2

Using the following path: /users/sales/a1/smith, which are the two possible path types for "a1"? (Choose two.)

- A. A directory
- B. A file
- C. A LUN
- D. A qtree

Correct Answer: AD

QUESTION 3

A clustered Data ONTAP 8.2 Infinite Volume can share an aggregate with an FlexVol volume.

- A. True
- B. False

Correct Answer: A

QUESTION 4

What must be configured to support cross-cluster SnapMirror relationships?



- A. cluster peer relationship
- B. intracluster port
- C. junction path
- D. minimum transfer size

Correct Answer: A

QUESTION 5

A customer wants to improve write performance on their FAS2552 HA system. The system is built with SAS drives, and they are not interested in purchasing additional disk shelves. The workload consists of mostly small, random overwrites and random reads.

What should the customer do to improve performance?

- A. Enable free space reallocation on the aggregate.
- B. Enable FlashCache on both nodes.
- C. Increase the amount of NVRAM in the system.
- D. Assign a Flash Pool RAID group to the aggregates.

Correct Answer: D

A Flash Pool is built from a Data ONTAP aggregate in a two-step process, described in section 3,1, "7Mode CLI." Essentially it is the addition of SSDs into an aggregate to provide a high-bandwidth, low-latency location that is capable of caching random reads and random overwrites.

http://community.netapp.com/fukiw75442/attachments/fukiw75442/data-ontapdiscussions/17208/1/43347_TR-4070_NetApp_Flash_Pool_Design_and_Implementation_Guide.pdf

[Latest NS0-157 Dumps](#)

[NS0-157 VCE Dumps](#)

[NS0-157 Practice Test](#)