



NS0-161^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass NetApp NS0-161 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-161.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



You have a 2-node cluster cabled as shown in the exhibit. You want to convert the cluster to a switched cluster.

Which two statements are true in this scenario? (Choose two.)

- A. The conversion is disruptive.
- B. The conversion is non-disruptive.
- C. After the conversion, traffic to the intercluster LIFs will flow through the cluster switch.
- D. After the conversion, traffic to the cluster LIFs will flow through the cluster switch.

Correct Answer: BD

QUESTION 2

You must enable remote authentication and grant a remote administrator either cluster admin or vsadmin access.

In this scenario, which three authentication types are supported for ONTAP 9.7? (Choose three.)

- A. CHAP
- B. AD
- C. SAML



D. RADIUS

E. LDAP

Correct Answer: BCE

Reference: <https://docs.netapp.com/ontap-9/topic/com.netapp.doc.pow-adm-auth-rbac/Administrator%20authentication%20and%20RBAC.pdf> (5)

QUESTION 3

Your company requires that all data must be encrypted in flight to prevent data from falling into the wrong hands.

What are two ways to accomplish this task? (Choose two.)

- A. Ensure that SnapMirror compression is enabled in all SnapMirror relationships.
- B. Modify your cluster peering relationships to support cluster peering encryption.
- C. Enable Multi-Factor Authentication (MFA) for your SnapMirror relationships.
- D. Ensure that all intercluster replication traffic is done through a VPN tunnel.

Correct Answer: BC

QUESTION 4

What is the default RAID policy for aggregates created with 10 TB disk drives? (Choose the best answer.)

- A. RAID4
- B. RAID-DP
- C. RAID0
- D. RAID-TEC

Correct Answer: D

Reference: <https://docs.netapp.com/ontap-9/topic/com.netapp.doc.dot-cm-psmg/GUID-2808F15F-60574E43-9407-5B3CA274E6C5.html>

QUESTION 5

Click the Exhibit button.



Filesystem	kbytes	used	avail	capacity	Mounted on
/vol/netapp_n01/	347277960	39072700	308205260	11%	/vol/netapp_n01/
/vol/netapp_n01/.snapshot	18277784	14637544	14637544	20%	/vol/netapp_n01/.snapshot
/vol/netapp_esx/	996148	1112	995036	0%	/vol/netapp_esx/
/vol/netapp_esx/.snapshot	52428	18252	34176	35%	/vol/netapp_esx/.snapshot
/vol/netapp_lnx_m1/	996148	10808	985340	1%	/vol/netapp_lnx_m1/
/vol/netapp_lnx_m1/.snapshot	0	0	0	0%	/vol/netapp_lnx_m1/.snapshot
/vol/netapp_esx_m1/	996148	844	995304	0%	/vol/netapp_esx_m1/
/vol/netapp_esx_m1/.snapshot	52428	26348	26080	50%	

Referring to the exhibit, which volume has a snap reserve value set to zero (0)? (Choose the best answer.)

- A. netapp_esx_m1
- B. netapp_esx
- C. netapp_lnx_m1
- D. netapp_n01

Correct Answer: A

[NS0-161 VCE Dumps](#)

[NS0-161 Exam Questions](#)

[NS0-161 Braindumps](#)