

NS0-161^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass NetApp NS0-161 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/ns0-161.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/ns0-161.html 2024 Latest pass4itsure NS0-161 PDF and VCE dumps Download

QUESTION 1

You are asked to delete an SVM that was used for CIFS.

Which two steps must be completed prior to completing this task? (Choose two.)

- A. Delete all LIFs from all SVMs.
- B. Stop the SVM.
- C. Delete all data volumes in the SVM.
- D. Delete the CIFS license.

Correct Answer: BC

Reference: https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.onc-sm-help-900% 2FGUID-1286A6CD-2981-444F-97F6-65D65A00D758.html

QUESTION 2

https://www.pass4itsure.com/ns0-161.html

FC-Switch-1 Controllers/ Nodes N1 MA N2 IGroup mapping LUN via FCP - WWPN ISCSI - IQN/EUI

The exhibit shows a Windows 2019 server with two FC HBAs using ALUA. How many paths to LUN1 are active/optimized? (Choose the best answer.)

A. 8

B. 2

C. 1

D. 4

Correct Answer: C

QUESTION 3

https://www.pass4itsure.com/ns0-161.html

2024 Latest pass4itsure NS0-161 PDF and VCE dumps Download

Port Address A	Description	Max Data Rate	Port Icon	Port Type
0a	Serial-Attached SCSI	SAS: 6/12 Gbps	SAS	MiniSAS HD
0b	Serial-Attached SCSI	SAS: 6/12 Gbps	SAS	MiniSAS HD
0c	Serial-Attached SCSI	SAS : 6/12 Gbps	SAS	MiniSAS HD
0d	Serial-Attached SCSI	SAS: 6/12 Gbps	SAS	MiniSAS HD
e0a	Ethernet	Ethernet: 10 Gbps	Ethernet	SFP+
e0b	Ethernet	Ethernet: 10 Gbps	Ethernet	SFP+
e0c	Ethernet	Ethernet: 1/10 Gbps	Ethernet	RJ45
e0d	Ethernet	Ethernet: 1/10 Gbps	Ethernet	RJ45
e0/0e[1]	Unified Target Adapter 2	Ethernet: 1/10 Gbps FC: 4/8/16 Gbps	Ethernet/Fibre Channel	SFP+



You want to add shelves to an AFF A300 HA pair that currently has six DS224C shelves already connected. You are using the onboard SAS port only, and you want to keep the multipath high availability (MPHA) configuration.

Referring to the exhibit, what is the maximum number of additional shelves allowed to be added in this configuration? (Choose the best answer.)

A. 2

B. 10

C. 6


D. 4

Correct Answer: A

QUESTION 4

https://www.pass4itsure.com/ns0-161.html

2024 Latest pass4itsure NS0-161 PDF and VCE dumps Download



Referring to the exhibit, what are two reasons why no initiators are displayed in the initiators\\' igroup screen? (Choose two.)

- A. Zoning on the switches has been done incorrectly.
- B. The server has not been powered up.
- C. ALUA has not been enabled on the NetApp controllers.
- D. SLM has not been enabled.

Correct Answer: AB

QUESTION 5

https://www.pass4itsure.com/ns0-161.html 2024 Latest pass4itsure NS0-161 PDF and VCE dumps Download



You have a mission-critical SQL application that uses a single SMB 3.1.1 share to host its database. The storage node that is hosting the SMB share sql01_ca for the SQL database experiences a hardware failure and fails over to the surviving node.

Referring to the exhibit, what is the state of the SMB share for the SQL database during the failover? (Choose the best answer.)

- A. The SMB share will be available, but all data is corrupted.
- B. The SMB share will be unavailable until node failback.
- C. The SMB share will be available, and all data is accessible.
- D. The SMB share is unavailable due to its stateful nature.

Correct Answer: A

Latest NS0-161 Dumps

NS0-161 VCE Dumps

NS0-161 Braindumps