



NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer wants to extend a Layer 2 network over a Layer 3 Nexus 9000 infrastructure. Which Layer 2 overlay scheme accomplishes this task?

- A. STP
- B. vPC
- C. VXLAN
- D. EIGRP

Correct Answer: C

VXLAN tunnels the Layer 2 network over the Layer.

Reference: <https://www.ciscopress.com/articles/article.asp?p=2999385andseqNum=3>

QUESTION 2

A customer is planning to deploy a FlexPod solution for a large scale SAN requirement that uses the FC protocol. The customer plans to use Smart Zoning in the configurations to reduce the number of TCAM entries in the zoning process.

In this scenario, which design would enable the customer to use Smart Zoning?

- A. storage connected to Cisco Nexus 9000 Series switches
- B. storage connected to Cisco Nexus 5000 Series switches
- C. storage connected to Cisco MDS switches
- D. storage directly connected to Cisco UCS Fabric Interconnects

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_datacenter_vmware_netappaffa_design.html#_Toc23952741

QUESTION 3

A customer is using a FlexPod implementation that has 10 Gbps uplinks from the B-Series chassis to the fabric interconnect. The customer wants to upgrade the links to 40 Gbps.

In this scenario, which model of Cisco UCS server IOM is required?

- A. 2204XP.
- B. 2208XP
- C. 2232



D. 2304

Correct Answer: A

The Cisco UCS 2204XP Fabric Extender (Figure 7) has four 10 Gigabit Ethernet, FCoE-capable, SFP+ ports that connect the blade chassis to the fabric interconnect. Reference: https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-b-series-blade-servers/spec_sheet_c17644224.pdf

QUESTION 4

You are asked to design a FlexPod solution with a Cisco UCS B-Series chassis. There is no requirement for any Cisco UCS C-Series rack servers. You must ensure that there is a minimum of a 2500 VLAN or VSAN capacity per UCS domain.

In this scenario, which Cisco Fabric Interconnects do you select?

A. 6332

B. 6248

C. 6296

D. 6324

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/CLI-User-Guides/Storage-Mgmt/3-2/b_CLI_UCSM_Storage_Management_Guide_3_2.pdf

QUESTION 5

A customer is configuring the UCS to handle a multitenant environment. The customer has created an organization within UCS for each tenant and would like to allow access to these organizations for only users that belong to that tenant.

In this scenario, which feature in UCS Manager should the customer use to accomplish this task?

A. Locales

B. Trusted Platform Module

C. Service Profile

D. User Roles

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Admin-Management/3-2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2_chapter_01010.html



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/ns0-173.html>

2024 Latest pass4itsure NS0-173 PDF and VCE dumps Download

[Latest NS0-173 Dumps](#)

[NS0-173 VCE Dumps](#)

[NS0-173 Practice Test](#)